Aagaard P see Holme E
Abbot JH see Patla CA
Abdulwahab SS, Sabbahi M: Neck retractions, cervical root decompression, and radicular pain, 30(1):4–12
Abe T see Kumagai K
Abe T, DeHoyos DV, Pollock ML, Garzarella L: Time course for strength and muscle thickness changes following upper and lower body resistance training in men and women [abstract reprinted from *Eur J Appl Physiol*] 30(8):497
Ackland TR see Richards JE
Adachi N see Sumen Y
Adam J see Donatelli R
Adams AH see Hsieh CY
Adams MA, May S, Freeman BJC, Morrison HP, Dolan P: Effects of backward bending on lumbar intervertebral discs: relevance to physical therapy treatments for low back pain [abstract reprinted from *Spine*] 30(7):433
Adunsky A see Heruti RJ
Ahlgren C see Waling K
Airaksinen O see Leinonen V
Aldemir T see Esenyel M
Alexander KM, LaPier TK: The effects of balance training on pain, function and static and dynamic standing balance in subjects with chronic unilateral low back pain: preliminary data [abstract] 30(1):A-1
Alexander KM, LaPier TK: Static and dynamic standing balance of subjects with and without chronic unilateral low back pain: preliminary data [abstract] 30(1):A-1
Alfredsson L see Vingård E
Al-Hugail M see Piva SR
Allen G, Galer BS, Schwartz L: Epidemiology of complex regional pain syndrome: a retrospective chart review of 134 patients [abstract reprinted from *Int Assoc Study Pain*] 30(12):779–780
Allen JM see Foster NE
Allen MK see Glasoe WM (2 citations)
Allen MK, Glasoe WG: Shoe orthotic treatment following a second metatarsal stress fracture: a case study [abstract] 30(1):A-17
Alligood CG, Dowd DM, Stumler DW, Jackson T: Active joint position sense of the knee: the role of gender and athletic participation [abstract] 30(1):A-35
Almeida SA, Trone DW, Leone DM, Shaffer RA, Patheal SL, Long K: Gender differences in musculoskeletal injury rates: a function of symptom reporting? [abstract reprinted from *Med Sci Sports Exerc*] 30(5):287
Alston ML: Fundamentals of pediatric orthopedics (2nd ed) [review] 30(10):642–643
Alvarez R see Pfeffer G
Alvey R see Brown E
An KN see Halder A
Andersen JC see Durrence A
Anderson DD see Kurtz CA
Anderson K see Backus SI
Anderson MA, Heniser ML: Who's caring for our high school athletes? Changes in sports medicine services offered to Oklahoma high school athletes from 1983 to 1999 [abstract] 30(1):A-35–A-36
Anderson MA see Dierking JK; Epple ML; Heniser ML
Anderson R see Pfeffer G
Anderson RB see Girard P
Andersson GBJ see Oleske DM
Andres FA see Merrick MA
Andrews JR see Meister K
Angelucci see Chaloupka EC
Antoniades SB, Hammerberg KW, DeWald RL: Sagittal plane configuration of the sacrum in spondylolisthesis [abstract reprinted from *Spine*] 30(10):639
Aprill CN see Young SB
Araki H see Miura H
Arani RB see Figueroa-Colon R
Arciero RA see Williams GN
Arendt-Nielsen L see Laursen RJ
Ash SA see Katzman WB
Ashe K see Brown E
Ashikaga T see Reed BV
Asselin S see Cox ME
Atwood AL see Youdas JW
Aubin C-E, Labelle H, Ruszkowski A, Petit Y, Gignac D, Joncas J, Dansereau J: Variability of strap tension in brace treatment for adolescent idiopathic scoliosis [abstract reprinted from *Spine*] 30(6):350
Avilla O see Branch TP
Awiszus F see Urbach D
Axe MJ see Fitzgerald GK
Ayers DC see Mann KA
Ayers KM see Weir JP
Ayres KM, Coglianese MJ, Jackson RT, Martin RH, Neroda JM, Richman TL, Schmieg RA: Documenting innominate superior shear dysfunction and efficacy of limited treatment on pain and disability [abstract] 30(1):A-31
Azgad Y see Inbar O

Bacchetti P see Pfeffer G
Backus SI, Kelly BT, Williams R, Anderson K, Warren RF, Furman GL: Electromyographic analysis and phase definition of the football throw [abstract] 30(1):A-46
Badeaux J see Leroux MA
Bailey MS, Garner TW, Chleboun GS: Architecture of selected muscles of the human shoulder [abstract] 30(1):A-3–A-4
Bailie DS see Ellenbecker TS
Baird AC see Wheeler AH
Baker LL see Souza GM
Baldino M, DiPrima G, Lombardo G: A comparison of a trunk muscle strength ratio to a graded lumbar stability protocol [abstract] 30(1):A-10–A-11
Ball DW see Romani WA
Baltzopoulos V see Iossifidou AN (2 citations)
Balu G see Wainner RS
Bang MD, Deyle GD: Comparison of supervised exercise with and without manual physical therapy for patients with shoulder impingement syndrome, 30(3):126–137

Aagaard P see Holme E
Abbot JH see Patla CA
Abdulwahab SS, Sabbahi M: Neck retractions, cervical root decompression, and radicular pain, 30(1):4–12
Abe T see Kumagai K
Abe T, DeHoyos DV, Pollock ML, Garzarella L: Time course for strength and muscle thickness changes following upper and lower body resistance training in men and women [abstract reprinted from *Eur J Appl Physiol*] 30(8):497
Ackland TR see Richards JE
Adachi N see Sumen Y
Adam J see Donatelli R
Adams AH see Hsieh CY
Adams MA, May S, Freeman BJC, Morrison HP, Dolan P: Effects of backward bending on lumbar intervertebral discs: relevance to physical therapy treatments for low back pain [abstract reprinted from *Spine*] 30(7):433
Adunsky A see Heruti RJ
Ahlgren C see Waling K
Airaksinen O see Leinonen V
Aldemir T see Esenyel M
Alexander KM, LaPier TK: The effects of balance training on pain, function and static and dynamic standing balance in subjects with chronic unilateral low back pain: preliminary data [abstract] 30(1):A-1
Alexander KM, LaPier TK: Static and dynamic standing balance of subjects with and without chronic unilateral low back pain: preliminary data [abstract] 30(1):A-1
Alfredsson L see Vingård E
Al-Hugail M see Piva SR
Allen G, Galer BS, Schwartz L: Epidemiology of complex regional pain syndrome: a retrospective chart review of 134 patients [abstract reprinted from *Int Assoc Study Pain*] 30(12):779–780
Allen JM see Foster NE
Allen MK see Glasoe WM (2 citations)
Allen MK, Glasoe WG: Shoe orthotic treatment following a second metatarsal stress fracture: a case study [abstract] 30(1):A-17
Alligood CG, Dowd DM, Stumler DW, Jackson T: Active joint position sense of the knee: the role of gender and athletic participation [abstract] 30(1):A-35
Almeida SA, Trone DW, Leone DM, Shaffer RA, Patheal SL, Long K: Gender differences in musculoskeletal injury rates: a function of symptom reporting? [abstract reprinted from *Med Sci Sports Exerc*] 30(5):287
Alston ML: Fundamentals of pediatric orthopedics (2nd ed) [review] 30(10):642–643
Alvarez R see Pfeffer G
Alvey R see Brown E
An KN see Halder A
Andersen JC see Durrence A
Anderson DD see Kurtz CA
Anderson K see Backus SI
Anderson MA, Heniser ML: Who's caring for our high school athletes? Changes in sports medicine services offered to Oklahoma high school athletes from 1983 to 1999 [abstract] 30(1):A-35–A-36
Anderson MA see Dierking JK; Epple ML; Heniser ML
Anderson R see Pfeffer G
Anderson RB see Girard P
Andersson GBJ see Oleske DM
Andres FA see Merrick MA
Andrews JR see Meister K
Angelucci see Chaloupka EC
Antoniades SB, Hammerberg KW, DeWald RL: Sagittal plane configuration of the sacrum in spondylolisthesis [abstract reprinted from *Spine*] 30(10):639
Aprill CN see Young SB
Araki H see Miura H
Arani RB see Figueroa-Colon R
Arciero RA see Williams GN
Arendt-Nielsen L see Laursen RJ
Ash SA see Katzman WB
Ashe K see Brown E
Ashikaga T see Reed BV
Asselin S see Cox ME
Atwood AL see Youdas JW
Aubin C-E, Labelle H, Ruszkowski A, Petit Y, Gignac D, Joncas J, Dansereau J: Variability of strap tension in brace treatment for adolescent idiopathic scoliosis [abstract reprinted from *Spine*] 30(6):350
Avilla O see Branch TP
Awiszus F see Urbach D
Axe MJ see Fitzgerald GK
Ayers DC see Mann KA
Ayers KM see Weir JP
Ayres KM, Coglianese MJ, Jackson RT, Martin RH, Neroda JM, Richman TL, Schmieg RA: Documenting innominate superior shear dysfunction and efficacy of limited treatment on pain and disability [abstract] 30(1):A-31
Azgad Y see Inbar O

Bacchetti P see Pfeffer G
Backus SI, Kelly BT, Williams R, Anderson K, Warren RF, Furman GL: Electromyographic analysis and phase definition of the football throw [abstract] 30(1):A-46
Badeaux J see Leroux MA
Bailey MS, Garner TW, Chleboun GS: Architecture of selected muscles of the human shoulder [abstract] 30(1):A-3–A-4
Bailie DS see Ellenbecker TS
Baird AC see Wheeler AH
Baker LL see Souza GM
Baldino M, DiPrima G, Lombardo G: A comparison of a trunk muscle strength ratio to a graded lumbar stability protocol [abstract] 30(1):A-10–A-11
Ball DW see Romani WA
Baltzopoulos V see Iossifidou AN (2 citations)
Balu G see Wainner RS
Bang MD, Deyle GD: Comparison of supervised exercise with and without manual physical therapy for patients with shoulder impingement syndrome, 30(3):126–137

Bankson D: Massage therapy: principles and practice [review] 30(8):501
Baratta RV see Gedalia U; Solomonow M
Barbeau H see Ladouceur M
Bare AC see Girrbach RT
Barell V see Heruti RJ
Barill E, Oneacre KL, Porter D: Ankle dorsiflexion in plantar fasciitis patients following a stretching program [abstract] 30(1):A-36
Barr AS see Foxworth JL
Barr JB, Threlkeld AJ: Use of gait lab data to guide treatment and improve compliance in a patient with a transfemoral amputation and lumbar pain [abstract] 30(1):A-17–A-18
Barra V see Morio B
Barrett JP, Downey MS, Hillstrom HJ: Retrospective analysis of neurapraxia and axonotmesis injuries of select peripheral nerves of the foot and ankle and their conservative and surgical treatment (external neurolysis and neurectomy) [abstract reprinted from *J Foot Ankle Surg*] 30(6):349
Bassett GS, Engsberg JR, McAlister WH, Gordon JE, Schoenecker PL: Fate of the psoas muscle after open reduction for developmental dislocation of the hip (DDH) [abstract reprinted from *J Pediatr Orthop*] 30(1):42
Bateni H see Collins MH
Batts J see Meister K
Baumgartner T see Meister K
Baxter GD see Foster NE
Bearden L see Bybee R
Beaufrère B see Morio B
Beaupré GS see Giddings VL
Becher K see Holme E
Beck BR: Stress fractures [review] 30(5):294–295
Bedalov BJ see Reinking MF
Beering TV see Powers CM
Beissel MD: Role of manual therapy in the evaluation and treatment of a surgically stabilized pelvis, 30(8): 453–467
Bell GJ see Chillibeck PD
Belt EA see Lehtinen JT
Belyea BC, Sigg JA: Functional changes resulting from hyaluronic acid injections in osteoarthritic knees [abstract] 30(1):A-2
Bemben DA see Dierking JK
Bemben M see Heniser ML
Bemben MG see Dierking JK
Benaglia PG, Sartorio F, Franchignoni F: A new thermoplastic splint for proximal interphalangeal joint flexion contractures [abstract reprinted from *J Sports Med Phys Fitness*] 30(5):289
Bendebba M see Sampath P
Bender MHM see Schep G
Benedict SH see Dolezal BA
Benezet P see Prou E
Benjamin AB: Separation of church, state, and the *Journal* [letter to the editor-in-chief] 30(7):431
Benjamin K see Pransky G
Bennell K, Khan KM, Matthews B, De Gruyter M, Cook E, Holzer K, Wark JD: Hip and ankle range of motion and hip muscle strength in young novice female ballet dancers and controls [abstract reprinted from *Br J Sports Med*] 30(4):223
Bennell KL see Warden SJ
Benoit JW see Brown E
Berardelli A see Inghilleri M
Berg A see Halle M
Berge J, Marque B, Vital JM, Senegas J, Caille JM: Age-related changes in the cervical spines of front-line rugby players [abstract reprinted from *Am J Sports Med*] 30(12):781
Bergman EA: Nutrition essentials and diet therapy, 8th ed [review] 30(7):435–436
Bertini I see De Lorenzo A
Betz RR see Lee GA
Bevers K see Urfer A
Bexander C see Fjellner A
Bezemer PD see Jansen LMA
Bhambhani Y, Maikala R: Gender differences during treadmill walking with graded loads: biomechanical and physiological comparisons [abstract reprinted from *Eur J Appl Physiol*] 30(9):563
Bieler T see Holme E
Biessel MD: Author response, 30(11):703–704; 30(12): 769–770
Bijlsma WJ see van Vugt RM
Billat VL, Mille-Hamard L, Petit B, Koralsztein JP: The role of cadence in the $\dot{V}O_2$ slow component in cycling and running in triathletes [abstract reprinted from *Int J Sports Med*] 30(4):221–222
Bilodeau M: Preparing for the physical therapist licensure examination [review] 30(2):105
Bilodeau M, Keen DA, Sweeney PJ, Shields RW, Enoka RM: Strength training can improve steadiness in persons with essential tremor [abstract reprinted from *Muscle Nerve*] 30(10):638
Binkley J: Against the myth of evidence-based practice [letter to the editor-in-chief] 30(2):98–99
Birke JA, Patout CA Jr, Foto JG: Factors associated with ulceration and amputation in the neuropathic foot, 30(2):91–97
Birmingham G see Olson SL
Björn G see Lundberg G
Blankstein A see Salai M
Blanpied P, Carroll R, Douglas T, Lyons M, Macalisang R, Pires L: Effectiveness of lateral slide exercise in an anterior cruciate ligament reconstruction rehabilitation home exercise program, 30(10):602–611
Blizzard L see Grimmer K
Bohannon RW see Walker N
Boire J-Y see Morio B
Boissonnault B: Orthopaedic Section responds to research isolationism [letter to the editor-in-chief] 30(7):428–429
Bolton-Smith C see New SA
Boninger ML see Wainner RS
Bonny J-M see Morio B
Borawski EA see Milidonis MK
Borer B: Disablement model inadequate [letter to the editor-in-chief] 30(8):493
Borsa PA, Savers EL: The importance of gender on

myokinetic deficits before and after microinjury [abstract reprinted from *Med Sci Sports Exerc*] 30(9):565
Bos KL, Gehrs KS, Hester ALC, Hoogenboom B: The relationship between a functional throwing performance test and strength of various scapular muscles [abstract] 30(1):A-47
Bouton K see Detering K
Bowman M see Pfeffer G
Brabant LL: The anatomy of the shoulder, hand, knee, and ankle and foot [review] 30(10):643
Brabant LL: Functional soft tissue examination and treatment by manual methods: new perspectives (2nd ed) [review] 30(3):158–159
Bradley Y see Girrbach RT
Brancati A see De Lorenzo A
Branch TP, Avilla O, London L, Hutton WC: Correlation of medial/lateral rotation of the humerus with glenohumeral translation [abstract reprinted from *Br J Sports Med*] 30(5):290
Brannigan AE, Kerin MJ, McEntee GP: Gilmore's groin repair in athletes, 30(6):329–332
Brault JR, Siegmund GP, Wheeler JB: Cervical muscle response during whiplash: evidence of a lengthening muscle contraction [abstract reprinted from *Clin Biomech*] 30(12):777
Brechue WF see Kumagai K
Bredin LE, Ellis AT, Hartman LC, Welch KB, Thompson AW, Wright LL, Lake DA: The effects of static magnets on pain perception due to exercise induced delayed onset muscle soreness (DOMS) [abstract] 30(1):A-2
Brenneman SK see Kelley MJ
Brenner IKM, Natale VM, Vasiliou P, Moldoveanu AI, Shek PN, Shepard RJ: Impact of three different types of exercise on components of the inflammatory response [abstract reprinted from *Eur J Appl Physiol*] 30(3):155
Briggs KK see Viola RW
Brighton CT see Goodwin CB
Brindle TJ, Nyland J, Shapiro R, Caborn DNM, Stine R: Shoulder proprioception: latent muscle reaction times [abstract reprinted from *Med Sci Sports Exerc*] 30(3):157, 30(4):218
Brodine SK see Kaufman KR (2 citations)
Brodsky J see Pfeffer G
Broman P see Olson SL
Brosh T see Salai M
Brosky T, Nyland J, Caborn DNM: Isokinetic torque/bodyweight is related to single leg timed hop performance of rehabilitated ACL reconstruction patients [abstract] 30(1):A-46
Browder DA see Girrbach RT
Brown DA: Neurological disabilities: assessment and treatment [review] 30(3):159–160
Brown E, Ashe K, Benoit JW, Carley P, Clapp J, Alvey R, Fortune F, McNamara J, Moriarty J: The effect of hand dominance on standing balance variables with respect to three different ground reactive force interfaces [abstract] 30(1):A-3
Brown M see Salsich GB
Brown S, Day S, Donnelly A: Indirect evidence of human skeletal muscle damage and collagen breakdown after eccentric muscle actions [abstract reprinted from *J Sports Sci*] 30(1):43
Brown TD see Saltzman CL
Brownlie T see Hinton PS
Bruce JA, Eppers BC, VanHiel LR, Fearon FJ, Irwin SC, Smith S, Whitener TA: Investigating physical therapy treatment outcomes for patients with shoulder pathology: is reimbursement type a factor? [abstract] 30(1):A-21–A-22
Buckley SA see Mohr TM
Buckley WE see Hertel J
Buckwalter JA see Saltzman CL
Bull JR see McPherson SL
Bülow PM see Jordan A
Burdett R see Wainner RS
Burgess S see Klucinec B
Burnet H see Caquelard F
Burton AK, Waddell G, Tillotson KM, Summerton N: Information and advice to patients with back pain can have a positive effect: a randomized controlled trial of a novel educational booklet in primary care [abstract reprinted from *Spine*] 30(5):287–288
Bustillo KL: The person as patient: psychosocial perspectives for the health care professional [review] 30(4):225–226
Bybee R, Bearden L, Logan T, Moeller A: Frequency and duration of lumbar flexion using the PAS-1000 [abstract] 30(1):A-2
Bybee RF, Garcia E, Rice ED, Roane JA: The degree of assessment reliability using the McKenzie method [abstract] 30(1):A-18
Byl NN: Mosby's basic science for soft tissue and movement therapies [review] 30(9):567

Caborn DNM see Brindle TJ (2 citations); Brosky T; Keen J; Oeffinger DJ
Cade D see Palumbo NM; Ray BJ
Cafarelli E see Rich C
Caglar N see Esenyel M
Cagle PE, Neuberger GE, Mercer NR, Nelson KS, Schaefer LA, Stone RS: Reasons for exercise adherence or non-adherence among individuals with rheumatoid arthritis [abstract] 30(1):A-18
Cahalan TD: Fundamentals of musculoskeletal assessment techniques (2nd ed) [review] 30(2):106
Caille JM see Berge J
Cailliet R see Harrison DE (2 citations)
Calabrese GJ see Tyler TF
Calbet JAL see Chavarren J; Van Hall G
Caldwell GE see Heiderscheit BC
Calus SA see Pokorny MJ
Cameron D see Walker N
Camp S, Grizzle C, Hoyle K, Lumsden J, LeVeau BF: Intra- and interrater reliability of a hand-held dynamometer for testing the strength of ankle muscles [abstract] 30(1):A-43
Campbell MK see New SA
Campbell PG see Kurtz CA
Candeloro N see De Lorenzo A
Cannon W see McCrory JL

Capelli C see Zamparo P
Capps CA see Sarmiento A
Capurro KL, Terry RE, Ikeda ER: The effect of static magnetic shoe insoles on isometric grip strength: a double blind study [abstract] 30(1):A-8
Caquelard F, Burnet H, Tagliarini F, Cauchy E, Richalet JP, Jammes Y: Effects of prolonged hypobaric hypoxia on human skeletal muscle function and electromyographic events [abstract reprinted from *Clin Sci*] 30(8):496–497
Carcia C, Harris BA, Watkins M: Effect of taping and bracing on static and dynamic balance of the sprained ankle [abstract] 30(1):A-3
Carek P: Assessment of nonorthopedic sports injuries: a sideline reference manual [review] 30(12):782
Carfagno D see Ellenbecker TS
Carl M see Heniser ML
Carley P see Brown E
Carnahan RD see Federovich EH
Carpenter DM see Nelson BW (2 citations)
Carroll R see Blanpied P
Carter DR see Giddings VL
Carter SK see Karayannis NV
Case WS: Sports medicine II: a review and update [review] 30(6):357–358
Cauchy E see Caquelard F
Cauley JA see Vogt MT
Cavanagh PR see Morag E; Piazza SJ
Cavanaugh JT see Stump TJ
Cavanaugh JT, Stump TJ: Forward step down test [abstract] 30(1):A-46–A-47
Cerny F: Physiology: the basis of clinical practice [review] 30(12):783–784
Chaloupka EC, Kang J, Mastrangelo MA, Scibilia G, Leder GM, Angelucci J: Metabolic and cardiorespiratory responses to continuous box lifting and lowering in nonimpaired subjects, 30(5):249–257, 258–262
Chappell BL see Henderson NE
Chavarren J, Calbet JAL: Cycling efficiency and pedalling frequency in road cyclists [abstract reprinted from *Eur J Appl Physiol*] 30(5):292
Chechik A see Salai M
Chen CC see Cho CY
Chilibeck PD, Syrotuik DG, Bell GJ: The effect of strength training on estimates of mitochondrial density and distribution throughout muscle fibres [abstract reprinted from *Eur J Appl Physiol*] 30(3):155
Chism KL see Keely G
Chleboun GS see Bailey MS
Chmielewski TL, Snyder-Mackler L, Chung M: Assessment of weight-bearing patterns in anterior cruciate ligament deficient and surgically reconstructed patients using the NeuroCom Balance Master® [abstract] 30(1):A-36–A-37
Cho CY, Chen CC, Hwang IS: Musculoskeletal symptoms and its association with psychological burdens in senior high school students [abstract] 30(1):A-19
Chung M see Chmielewski TL
Cibulka MT: The back pain revolution [review] 30(11):715
Clapp J see Brown E
Clark CR see Puttlitz CM
Clark FC see Weiss LW
Clark HA see Holder NL
Clark RR see Oppliger RA
Clarkson PM see Rinard J
Clegg DL: Cupping therapy [review] 30(12):784
Clement DB see MacLean CL
Clements DH see Lee GA
Cline K: Was the patient informed of risk? [letter to the editor-in-chief] 30(11):702–703
Cochrane T see Wang H-K
Coglianese MJ see Ayres KM
Cohen HS: Movement science: foundations for physical therapy in rehabilitation (2nd ed) [review] 30(11):716
Coillard C see Leroux MA
Coleman RR see Harrison DE
Collins D see Vicenzino B
Collins MH, Pearsall DJ, Zavorsky GS, Bateni H, Turcotte RA, Montgomery DL: Acute effects of intense interval training on running mechanics [abstract reprinted from *J Sports Sci*] 30(8):498
Coney HD see Weiss LW
Cook C see Keen J
Cook E see Bennell K
Cook TM see Ludewig PM
Cooper P see Pfeffer G
Cooper TG see Ludman CN
Corbett SD, Steiner LA, Portney LG: The effect of McConnell taping on patellofemoral dysfunction [abstract] 30(1):A-19
Cordova ML, Ingersoll CD, LeBlance MJ: Influence of ankle support on joint range of motion before and after exercise: a meta-analysis, 30(4):170–182
Cordova ML see Kinzey SJ
Cornejo-Knight MA see Fleming R
Cornwall MW see Hayden S; McPoil TG
Cornwall MW: Author response, 30(4):217
Cornwall MW, McPoil TG: Three-dimensional movement of the midfoot during normal walking [abstract] 30(1):A-19
Cosgrove MJ, Wilson J, Watt D, Grant SF: The relationship between selected physiological variables of rowers and rowing performance as determined by a 2000 m ergometer test [abstract reprinted from *J Sports Sci*] 30(4):221
Cox ME, Asselin S, Gracovetsky SA, Richards MP, Newman NM, Karakusevic V, Zhong L, Fogel JN: Relationship between functional evaluation measures and self-assessment in nonacute low back pain [abstract reprinted from *Spine*] 30(11):714
Cox RA, Ingrando CR, Park SC, Lake DA, Thompson AT, Mincer AB: Comparison of forefoot varus measurements obtained from non-weightbearing, partial weightbearing and full weightbearing orthotic casting techniques [abstract] 30(1):A-4
Coyle EF see Fritzsche RG (2 citations)
Craven T see McCrory JL
Cravens S see Simpson KJ
Creighton D see Meszaros TF

Crenshaw AG see Gerdle B
Crisp RJ see Feltner ME
Cross KM, Worrell TW: Effects of a static stretching program on the incidence of lower extremity musculotendinous strains [abstract reprinted from *J Athl Training*] 30(6):353
Cullison TR see Kaufman KR (2 citations)
Curl WW see McCrory JL
Cutter KA see Katzman WB
Cymerman A see Fulco CS
Czarnecki E see Meszaros TF

Daggett M see Watts PB
Dailey ES see Gross MT
Dale KS, Landers DM: Weight control in wrestling: eating disorders or disordered eating? [abstract reprinted from *Med Sci Sports Exerc*] 30(4):218
Dalton MD see Gross MT
Daniel HJ: Medical history profile of physical therapy outpatients in hospital-affiliated clinics in western North Carolina [abstract] 30(1):A-19–A-20
Danielson CD see Hsieh CY
Danneskiold-Samsøe B see Jordan A
Dano N see Guynes S
Dansereau J see Aubin C-E
Darden BV see Wheeler AH
Dargurz L see Frey Law LA
Darter B, Hovland K, Nawoczenski DA: Relationship between clinical measurements and motion of the first metatarsophalangeal joint during functional activities [abstract] 30(1):A-4
David KG, Heaney CA: The relationship between psychosocial work characteristics and low back pain: underlying methodological issues [abstract reprinted from *Clin Biomech*] 30(11):709
Davies GJ see Kollwelter KA; Rudrud JA; Smader JJ
Davis JD see Sampath P
Davis RW see Ferrara MS
Davis W see Pfeffer G
Davis WH see Girard P
Dawodu ST see Forrest GP
Day S see Brown S
Deaton C see Pariser G
DeBellefeuille L see Tousignant M
de Boo T see Oerlemans HM
De Carlo MS, Oneacre KL: The effect of accelerated rehabilitation after anterior cruciate ligament reconstruction in patients with generalized hypermobility [abstract] 30(1):A-37
De Gruyter M see Bennell K
DeHoyos DV see Abe T
Deiso J see Megginson P
Deland J see Pfeffer G
Delarque A see Viton J-M
Delcomyn SMB, Ha MH, Fletcher JP: The relationship between posterior reach and its component movements at the shoulder joint during active range of motion [abstract] 30(1):A-4–A-5
Delitto A: Mobilization of surgically stabilized pelvis dangerous [letter to the editor-in-chief] 30(11):702
De Lorenzo A, Bertini I, Candeloro N, Piccinelli R, Innocente I, Brancati A: A New predictive equation to calculate resting metabolic rate in athletes [abstract reprinted from *J Sports Med Phys Fitness*] 30(5):289
DelRey P see Simpson KJ
DeMeo PJ see Kurtz CA
DeMont RG see Swanik CB
Demont RG, Lephart SM, Giraldo JL, Giannantonio FP, Yuktanandana P, Fu FH: Comparison of two abdominal training devices with an abdominal crunch using strength and EMG measurements [abstract reprinted from *J Sports Med Phys Fitness*] 30(4):220
DeMont RG, Lephart SM, Giraldo JL, Swanik CB, Fu FH: Muscle preactivity of anterior cruciate ligament-deficient and -reconstructed females during functional activities [abstract reprinted from *J Athl Training*] 30(6):354
Denegar C see Klucinec B
Denegar CR see Hertel J
Dennison EA see Pokorny MJ
de Silva I see Feyer A-M
Desio S see Wellen MA
Detering K, Gulick DT, Bouton K, Racioppi E, Shafferman M: Effects of acetic acid iontophoresis on heel spur reabsorption [abstract] 30(1):A-5
DeVet HC see Van Suijlekom HA
DeVita P, Hortobagyi T: Age causes a redistribution of joint torques and powers during gait [abstract reprinted from *J Appl Physiol*] 30(11):710
Devlin J see Wall JC
de Vries WR see Schep G
DeWald RL see Antoniades SB
Deyle GD see Bang MD
DiBlasio JM see Holder NL
Diduch DR see Ernst GP
Diederich C see Taimela S
Diener LC see Reinking MF
Dierking JK, Bemben MG, Bemben DA, Anderson MA: Validity of diagnostic ultrasound as a measure of delayed onset muscle soreness, 30(3):116–125
Di Fabio RP see Maldonado BA
Di Fabio RP: Clarifying the Declaration of Helsinki [editorial] 30(11):652–653
Di Fabio RP: Cochrane and the National Health Service: collaborating to crush dissent? [editorial] 30(9):510–511
Di Fabio RP: Complexity of lifting [editorial] 30(5): 235
Di Fabio RP: Disablement: the patient's problem no longer matters [editorial] 30(6):304–305
Di Fabio RP: Editor-in-chief replies, 30(2):99–100; 30(7):429; 30(7):430; 30(9):557–558; 30(9):559; 30(11):704–705; 30(12):770
Di Fabio RP: Expertise on trial [editorial] 30(7):366–367
Di Fabio RP: Is physical therapy effective? Catch-22 of meta-analysis [editorial] 30(4):168–169
Di Fabio RP: Passion and manipulation [editorial] 30(8):442–443
Di Fabio RP: Promoting isolationism in science: the unspoken section agenda [editorial] 30(1):2–3

Di Fabio RP: Ruling out [editorial] 30(12):726
Di Fabio RP: Tip one for the Piper [editorial] 30(3): 114–115
Di Fabio RP: What is "evidence"? [editorial] 30(2):52–55
Di Fabio RP: www.jospt.org: interact and learn [editorial] 30(10):578–579
Dijkmans BAC see Jansen LMA
Dijkstra PU see Kooijman CM
DiPrima G see Baldino M
Dobrzykowski E see Hart DL
Dobrzykowski EA see Hart DL
Dolan P see Adams MA
Dolezal BA, Potteiger JA, Jacobsen DJ, Benedict SH: Muscle damage and resting metabolic rate after acute resistance exercise with an eccentric overload [abstract reprinted from *Med Sci Sports Exerc*] 30(11):711
Domholdt E see Klucinec B
Donaldson WF see Vogt MT
Donatelli R see Hall W
Donatelli R, Ellenbecker TS, Ekedahl SR, Wilkes JS, Kocher K, Adam J: Assessment of shoulder strength in professional baseball pitchers, 30(9):544–551
Donati J: More on evidence-based practice [letter to the editor-in-chief] 30(3):154
Donelson R: Reliability of the McKenzie assessment [letter to the editor-in-chief] 30(12):770–773
Donnelly A see Brown S
Donnelly S see Roberts D
Donovan A, Repak C, Edelstein JE: Effect of selected prosthesis weights on the time-distance variables of gait in adults with unilateral transtibial amputations [abstract] 30(1):A-20
Dorn J see Epstein LH
Douglas T see Blanpied P
Dowd DM see Alligood CG
Downey MS see Barrett JP
Dragnich LF, Hsieh Y-F, Ho S, Reider B: Intraarticular anterior cruciate ligament graft placement on the average most isometric line on the femur; does it reproducibly restore knee kinematics? [abstract reprinted from *Am J Sports Med*] 30(6):352
Dreisinger TE see Nelson BW (2 citations)
Drost MR see Geboers JFM (2 citations); Komulainen J
Druschky A see Heckman TG
Ducker TB see Sampath P
Durandt JJ see St Clair Gibson A
Durrence A, Stewart K, Lake DA, Andersen JC, Wright LL: The effect of a Bodyblade® training protocol on shoulder strength and throwing velocity [abstract] 30(1):A-41
Dussault RG see Romani WA
Dvorak J see Mannion AF
Dwyer T see Grimmer K

Ebaugh DD see Silfies SP
Ebraheim NA see Elgafy H
Ebraheim NA, Lu T, Yang H, Heck BE, Yeasting RA: Vulnerability of the sympathetic trunk during the anterior approach to the lower cervical spine [abstract reprinted from *Spine*] 30(12):777
Edelstein JE see Donovan A
Edelstein JE: Foot and ankle disorders [review] 30(5): 295–296
Edmond SL: Impairment rating and disability evaluation [review] 30(11):719–720
Edwards KJ, Mack JA, Laskin J: Metabolic responses of subjects walking with hiking poles [abstract] 30(1): A-5
Egan KS see Youdas JW
Eiken O see McKjavic IB
Ekedahl SR see Donatelli R
Elert J see Gerdle B
Elgafy H, Ebraheim NA: Subtalar arthroscopy for persistent subfibular pain after calcaneal fractures [abstract reprinted from *Foot Ankle Int*] 30(2):102
Ellenbecker TS see Donatelli R
Ellenbecker TS: Exercise and sport science [review] 30(8):502
Ellenbecker TS, Bailie DS, Carfagno D, Mattalino AJ, Wolff M, Kitchen J, Tobler S: Intra-rater reliability of a manual technique to assess anterior humeral head translation of the glenohumeral joint [abstract] 30(1):A-37
Elliott BC see Marshall RN; Richards JE
Elliott P see Sharma S
Ellis AT see Bredin LE
Elzinga A see Kooijman CM
Engsberg JR see Bassett GS; Hastings MK
Enloe LJ: Vestibular rehabilitation (2nd ed) 30(11): 718
Enoka RM see Bilodeau M
Eppers BC see Bruce JA
Epple ML, Anderson MA, Thompson D, Lepak LV: The effects of a plyometric training program on active and passive hip joint position sense and vertical jump performance in high school basketball players [abstract] 30(1):A-47
Epstein LH, Paluch RA, Gordy CC, Dorn J: Decreasing sedentary behaviors in treating pediatric obesity [abstract reprinted from *Arch Pediatr Adolesc Med*] 30(9):561–562
Erhard RE see Piva SR
Erhard RE: Casualties of publishing article on surgically stabilized pelvis [letter to the editor-in-chief] 30(12):767–768
Erhard RE: Special issue on the cervical spine [preface] 30(12):727
Ernst GP, Saliba EN, Diduch DR: The relationship among hip, knee, and ankle extensor moments and vertical jump height in uninjured subjects and patients following ACL reconstruction [abstract] 30(1):A-20–A-21
Erwin PM see Mawdsley RH
Esenyel M, Caglar N, Aldemir T: Treatment of myofascial pain [abstract reprinted from *Am J Phys Med Rehabil*] 30(9):560–561
Eston R, Peters D: Effects of cold water immersion on the symptoms of exercise-induced muscle damage [abstract reprinted from *J Sports Sci*] 30(9):564–565

Etnyre B see Hussein TM
Everhart GS, Prince CM, Jensen GM: Physical therapy clinical residency programs: graduates' perceptions of impact and future role [abstract] 30(1):A-5–A-6
Evers JJM see van Deursen DL
Everson EJ, Fater DCW, Kernozek TW: Comparison of abdominal muscle activity elicited from four different curl-up positions: an EMG study [abstract] 30(1):A-21
Exner JA see McKjavic IB
Eygendaal D, Verdegaal SHM, Obermann WR, Van Vugt AB, Pöll RG, Rozing PM: Posterolateral dislocation of the elbow joint [abstract reprinted from *J Bone Joint Surg*] 30(10):636–637

Fadale PD see Gastel TA
Fairchild RD see Reinking MF
Falcone EM, Harris BA, Michel T: The relationship between impairment and disability in individuals with low back pain [abstract] 30(1):A-21
Faleij R see Fjellner A
Fallat L see Grimm DJ
Faraj AA: Subtalar joint arthrodesis for postpoliomyelitis valgus foot deformity [abstract reprinted from *J Foot Ankle Surg*] 30(6):349
Farina N see Federovich EH
Fater DCW see Everson EJ; Freund AR; Rudrud JA
Fearon FJ see Bruce JA
Federovich EH, Wood JS, Gallo MS, Carnahan RD, Farina N: Comparison of EMG activity of the VMO and VL during three different squatting exercises [abstract] 30(1):A-41–A-42
Fellmann N see Morio B
Feltner ME, Fraschetti DJ, Crisp RJ: Upper extremity augmentation of lower extremity kinetics during countermovement vertical jumps [abstract reprinted from *J Sports Sci*] 30(1):43
Ferrara MS, Palutsis GR, Snouse S, Davis RW: A longitudinal study of injuries to athletes with disabilities [abstract reprinted from *Int J Sports Med*] 30(10): 635
Feyer A-M, Herbison P, Williamson AM, de Silva I, Mandryk J, Hendrie L, Hely MCG: The role of physical and psychological factors in occupational low back pain: a prospective cohort study [abstract reprinted from *Occup Environ Med*] 30(8):498
Figueroa-Colon R, Arani RB, Goran MI, Weinsier RL: Paternal body fat is a longitudinal predictor of changes in body fat in premenarcheal girls [abstract reprinted from *Am J Nutrition*] 30(9):560
Filz ML see Reinking MF
Finley MA, Rodgers MM, Gardner ER, McQuade KJ: The prevalence of shoulder pathology in athletic and non-athletic wheelchair users [abstract] 30(1): A-42
Fisher KL see Wilk BR
Fitzgerald GK, Axe MJ, Snyder-Mackler L: Proposed practice guidelines for nonoperative anterior cruciate ligament rehabilitation of physically active individuals, 30(4):194–203
Fjellner A, Bexander C, Faleij R, Strender L-E: Interexaminer reliability in physical examination of the cervical spine [abstract reprinted from *J Manipulative Physiol Ther*] 30(12):779
Fleming BC see Reed BV
Fleming DA see Van Dillen LR (2 citations)
Fleming R, Cornejo-Knight MA, Palmer PB: The effects of repetitive stretching on elastic exercise band resistance [abstract] 30(1):A-6
Fletcher JP see Delcomyn SMB
Fletcher KE see Pransky G
Flynn TW see Girrbach RT
Fogarty WT see Zigenfus GC
Fogel JN see Cox ME
Foley DP see Meyers WC
Folwer NK, Nicol AC: Measurement of external three-dimensional interphalangeal loads applied during activities of daily living [abstract reprinted from *Clin Biomech*] 30(4):223
Forrest GP, Roque JM, Dawodu ST: Decreasing length of stay after total joint arthoplasty: effect on referrals to rehabilitation units [abstract reprinted from *Arch Phys Med Rehabil*] 30(6):351
Fortune F see Brown E
Foster NE, Thompson KA, Baxter GD, Allen JM: Management of nonspecific low back pain by physiotherapists in Britain and Ireland: a descriptive questionnaire of current clinical practice [abstract reprinted from *Spine*] 30(1):41
Foto JG see Birke JA
Foxworth JL, Barr AS: Effectiveness of unilateral treadmill training on restoring gait symmetry following knee arthroscopy in adults [abstract] 30(1):A-22
Franceschi J-P see Viton J-M
Franchignoni F see Benaglia PG
Frank JS see Mientjes MIV
Fraschetti DJ see Feltner ME
Freburger JK: Acute care of patients following total hip arthroplasty: the relationship between the utilization of physical therapy services and outcomes of care [abstract] 30(1):A-6
Freburger JK, Riddle DL: Alignment of the sacroiliac joints in patients evaluated for sacroiliac dysfunction: a multi-center intertester reliability study [abstract] 30(1):A-31
Freeman BJC see Adams MA
French SA see Sherwood NE
Freund AR, Fater DCW, Kernozek TW: The effects of cervical retraction exercises on forward head posture and cervical range of motion [abstract] 30(1): A-22
Frey C see Pfeffer G
Frey Law LA, Dargurz L: Patient satisfaction survey of a custom-fit unloading brace for knee osteoarthritis [abstract] 30(1):A-22–A-23
Friberg R, Reeder M, Talley D, Perry T, Ramerez C, Gable C: Symptom distribution for upper limb tension tests 1, 2A, 2B, 3 [abstract] 30(1):A-6
Fridén J see Gerdle B
Friedlis M see Jackson R
Fritz JM see Hicks GE
Fritz JM, George S: The use of a classification ap-

proach to identify subgroups of patients with acute low back pain: inter-rater reliability and short-term treatment outcomes [abstract] 30(1):A-23
Fritz JM, Wainner RS, Hicks GE: The relationship between Waddell's nonorganic signs and changes in patient-reported disability with physical therapy treatment [abstract] 30(1):A-23
Fritzsche RG, Coyle EF: Cutaneous blood flow during exercise is higher in endurance-trained humans [abstract reprinted from *J Appl Physiol*] 30(8):498
Fritzsche RG, Switzer TW, Hodgkinson BJ, Lee S-H, Martin JC, Coyle EF: Water and carbohydrate ingestion during prolonged exercise increase maximal neuromuscular power [abstract reprinted from *J Appl Physiol*] 30(9):564
Fu FH see Demont RG; DeMont RG; Rozzi SL; Swanik CB
Fujimori J, Yoshino S, Koiwa M, Nakamura H, Shiga H, and Nagashima S: Ankle arthrodesis in rheumatoid arthritis using an intramedullary nail with fins [abstract reprinted from *Foot Ankle Int*] 30(2):102
Fulco CS, Rock PB, Muza SR, Lammi E, Cymerman A, Lewis SF: Reproducible voluntary muscle performance during constant work rate dynamic leg exercise [abstract reprinted from *Int J Sports Med*] 30(10):633–634
Fuller CM: Cost effectiveness analysis of screening of high school athletes for risk of sudden cardiac death [abstract reprinted from *Med Sci Sports Exerc*] 30(9):565
Furman GL see Backus SI
Furman JM see Wrisley DM

Gable C see Friberg R
Gagnon D see Larivière C
Gajdosik RL see Leslie CM
Galer BS see Allen G
Gallagher P see Watts PB
Gallaway JM see Potts JC
Gallen KJ see Kinzey SJ
Gallo MS see Federovich EH
Gangel TJ see Williams GN
Gansneder BM see Wilson RW
Garcia E see Bybee RF
Gardner ER see Finley MA
Garner TW see Bailey MS
Garrett WE see Meyers WC
Garrido DE see Powers CM
Garth WP, Greco J, House MA: The lateral notch sign associated with acute anterior cruciate ligament disruption [abstract reprinted from *Am J Sports Med*] 30(8):494
Garton MJ see New SA
Garzarella L see Abe T
Gastel TA, Palumbo MA, Hulstyn MT, Fadale PD, Lucas P: Emergency removal of football equipment: a cadaveric cervical spine injury model [abstract reprinted from *Ann Emerg Med*] 30(12):781
Gaumstark MW see Halle M
Gaunt B: Measurement of posterior shoulder tightness [letter to the editor-in-chief] 30(2):100–101
Gear WS see Rozzi SL
Geboers JFM, van Tuijl JH, Seelen HAM, Drost MR: Effect of immobilization on ankle dorsiflexion strength [abstract reprinted from *Scand J Rehab Med*] 30(10):639, 30(11):712
Gedalia U, Solomonow M, Zhou B, Baratta RV, Lu Y, Harris M: Biomechanics of increased exposure to lumbar injury caused by cyclic loading: part 2. Recovery of reflexive muscular stability with rest [abstract reprinted from *Spine*] 30(4):219
Geertzen JHB see Kooijman CM
Gehrs KS see Bos KL
Geideman WM, Johnson JE: Posterior tibial tendon dysfunction, 30(2):68–77
Genova JM, Gross MT: Effect of foot orthotics on calcaneal eversion during standing and treadmill walking for subjects with abnormal pronation, 30(11):664–675
George JR, Hawkins NL, Mohabataeen S: The effects of craniosacral therapy on blood pressure, heart and respiratory rates [abstract] 30(1):A-48
George S see Fritz JM
George SZ: Differential diagnosis and treatment for a patient with lower extremity symptoms, 30(8):468–472
George WB see Palumbo NM
Gerdle B, Karlsson S, Crenshaw AG, Elert J, Fridén J: The influences of muscle fibre proportions and areas upon EMG during maximal dynamic knee extensions [abstract reprinted from *Eur J Appl Physiol*] 30(3):156–157
Gerodimos V see Kellis S
Giang G see Zigenfus G (2 citations)
Giang GM see Zigenfus GC
Giannantonio FP see Demont RG
Gibson W see Urfer A
Giddings VL, Beaupré GS, Whalen RT, Carter DR: Calcaneal loading during walking and running [abstract reprinted from *Med Sci Sports Exerc*] 30(7):432–433
Gignac D see Aubin C-E
Gilio F see Inghilleri M
Gill H see Wainner RS
Giordano C see Hinton PS
Giraldo JL see Demont RG; DeMont RG; Swanik CB
Girard P, Anderson RB, Davis WH, Isear JA, Kiebzak GM: Clinical evaluation of the modified Brostrom-Evans procedure to restore ankle stability [abstract reprinted from *Foot Ankle Int*] 30(2):103
Girrbach RT, Browder DA, Guffie KL, Flynn TW, Moore JH, Masullo LN, Bare AC, Bradley Y: Flexural wave propagation velocity and bone mineral density in females with tibial bone stress injuries vs. age-matched controls [abstract] 30(1):A-23–A-24
Glasoe WG see Allen MK
Glasoe WM, Allen MK, Ludewig PM: Comparison of first ray dorsal mobility among different forefoot alignments, 30(10):612–623
Glasoe WM, Allen MK, Ludewig PM: Comparison of first ray mobility across different forefoot types [abstract] 30(1):A-37–A-38

Gleim GW see Tyler TF
Gleim GW, Tyler TF, McHugh MP, Nicholas SJ: Preoperative predictors of anterior cruciate ligament reconstruction outcome: application of the musculoskeletal functional assessment (MFA) [abstract] 30(1):A-41
Goel VK see Puttlitz CM
Goldbach RM see Powers CM
Goodier K see Guynes S
Goodwin CB, Brighton CT, Guyer RD, Johnson JR, Light KI, Yuan HA: A double-blind study of capacitively coupled electrical stimulation as an adjunct to lumbar spinal fusions [abstract reprinted from *Spine*] 30(1):41–42
Goolkasian P see Wheeler AH
Goossens RHM see van Deursen DL
Goran MI see Figueroa-Colon R
Gordon JE see Bassett GS; Matava MJ
Gordy CC see Epstein LH
Goris RJA see Oerlemans HM
Gorniak GC: Atlas of hand surgery [review] 30(10): 641–642
Gorup JM see Haher TR
Gotlin RS, Sherman AL, Sierra N, Kelly MA, Pappas Z, Scott WN: Measurement of brake response time after right anterior cruciate ligament reconstruction [abstract reprinted from *Arch Phys Med Rehabil*] 30(9):562
Gottschalk A see Ludman CN
Grabiner MD see Pavol MJ
Gracovetsky SA see Cox ME
Grahovac S see Tousignant M
Grant SF see Cosgrove MJ
Graven-Nielsen T see Laursen RJ
Gray JC: Clinical biomechanics of spinal manipulation [review] 30(10):644–645
Greathouse DG: Differential diagnosis for primary practice [review] 30(12):784
Greco J see Garth WP
Green JM, Michael T, Solomon AH: The validity of ratings of perceived exertion for cross-modal regulation of swimming intensity [abstract reprinted from *J Sports Med Phys Fitness*] 30(4):220–221
Green L: Living with incontinence: solutions for today's women [review] 30(9):567–568
Green RA see Henderson NE
Greenblatt J see Megginson P
Greene B: Mosby's fundamentals of therapeutic massage (2nd ed) [review] 30(10):643–644
Gregg SR see Henderson NE
Griffiths LA see Vicenzino B
Griffiths SR see Vicenzino B
Grimm DJ, Fallat L: Injuries of the foot and ankle in occupational medicine: a 1-year study [abstract reprinted from *J Foot Ankle Surg*] 30(2):102–103
Grimmer K, Blizzard L, Dwyer T: Frequency of headaches associated with the cervical spine and relationships with anthropometric, muscle performance, and recreational factors [abstract reprinted from *Arch Phys Med Rehab*] 30(12):778
Grizzle C see Camp S
Groeller H see Pinniger GJ
Grogan DP see Haher TR
Grosland NM see Puttlitz CM
Gross MT see Genova JM
Gross MT, Dailey ES, Dalton MD, Lee AK, McKiernan TL, Vernon WL, Waldon AC: Relationship between lifting capacity and anthropometric measures, 30(5):237–247, 258–262
Grossman M see Rinard J
Grubb DA see New SA
Guerrini G see Zamparo P
Guevel A see Prou E
Guffie KL see Girrbach RT
Gulick DT see Detering K
Gutierrez W see Wilk BR
Guyer RD see Goodwin CB
Guynes S, Rowe R, Goodier K, Hooper A, McCaffery T, Dano N: The reliability of inclinometer measurements of forefoot position [abstract] 30(1):A-7

Ha MH see Delcomyn SMB
Haas JD see Hinton PS
Hadley A see Vicenzino B
Haensel N see Kay S
Hagberg M see Vingård E
Haher TR, Gorup JM, Shin TM, Homel P, Merola AA, Grogan DP, Pugh L, Lowe TG, Murray M: Results of the Scoliosis Research Society instrument for evaluation of surgical outcome in adolescent idiopathic scoliosis: a multicenter study of 244 patients [abstract reprinted from *Spine*] 30(6):350
Hahn JJ see Oleske DM
Halder A, Zobitz ME, Schultz F, An KN: Mechanical properties of the posterior rotator cuff [abstract reprinted from *Clin Biomech*] 30(11):709–710
Hall W, Donatelli R: Expertise in physical therapy practice [review] 30(5):294
Halle JS: Essentials of musculoskeletal care [review] 30(1):45
Halle M, Berg A, Baumstark MW, Keul J: Association of physical fitness with LDL and HDL subfractions in young healthy men [abstract reprinted from *Int J Sports Med*] 30(5):289–290
Hallum A: Decision making in pediatric neurologic physical therapy [review] 30(9):568–569
Hals T-MV, Sitler MR, Mattacola CG: Effect of a semirigid ankle stabilizer on performance in persons with functional ankle instability, 30(9):552–556
Hamill J see Heiderscheit BC
Hammacher E see Schep G
Hammerberg KW see Antoniades SB
Hanin YL see Jokela M
Hannan PJ see Sherwood NE
Hanninen O see Leinonen V
Hannon C see King L
Hanson CR, Traywick CD, Palmer PB: Standardization and comparison of True-Blue™ and Thera-Band® resistance bands [abstract] 30(1):A-7
Harding L see Holder NL
Harner CD, Vogrin TM, Höher J, Ma CB, Woo SL-Y: Biomechanical analysis of a posterior cruciate liga-

ment reconstruction: deficiency of the posterolateral structures as a cause of graft failure [abstract reprinted from *Am J Sports Med*] 30(9):561
Harris BA see Carcia C; Falcone EM; Loureiro MJ; Mercik S
Harris M see Gedalia U; Solomonow M
Harris-Love MO see Youdas JW
Harrison DD see Harrison DE (2 citations)
Harrison DE, Cailliet R, Harrison DD, Janik TJ, Troyanovich SJ, Coleman RR: Lumbar coupling during lateral translations of the thoracic cage relative to a fixed pelvis [abstract reprinted from *Clin Biomech*] 30(5):291
Harrison DE, Harrison DD, Cailliet R, Janik TJ, Troyanovich SJ: Cervical coupling during lateral head translations creates an S-configuration [abstract reprinted from *Clin Biomech*] 30(12):781
Hart DL see Werneke M
Hart DL: Assessment of unidimensionality of physical functioning in patients receiving therapy in acute, orthopedic outpatient centers [abstract] 30(1):A-24
Hart DL: Orthotics & prosthetics national office outcomes tool (OPOT): initial reliability and validity [abstract] 30(1):A-24
Hart DL, Dobrzykowski E: Response consistency in patient self-report of health status [abstract] 30(1):A-20
Hart DL, Dobrzykowski EA: Influence of orthopaedic clinical specialist certification on clinical outcomes, 30(4):183–193
Harter BJ see Jackson R
Hartman LC see Bredin LE
Hartsell HD, Spaulding SJ: Effects of bracing on isokinetic torque for the chronically unstable ankle [abstract reprinted from *J Sport Rehabil*] 30(6):350
Hartung RW: Guidelines & gamuts in musculoskeletal ultrasound [review] 30(7):434
Hastings MK, Mueller MJ, Klaesner JW: Measurement of tissure stiffness using a portable indentor [abstract] 30(1): A-7
Hastings MK, Mueller MJ, Sinacore DR, Salsich GB, Engsberg JR, Johnson JE: Effects of a tendo-Achilles lengthening procedure on muscle function and gait characteristics in a patient with diabetes mellitus, 30(2):85–90
Haugen ME see Mohr TM
Hautala A see Pöyhönen T
Hawkins NL see George JR
Hayden S, Pipinich L, McPoil TG, Cornwall MW: Effect of four prosthetic feet on reducing plantar pressures in diabetic amputees [abstract] 30(1):A-24–A-25
Hayes KW see Petersen CM
Heaney CA see David KG
Heck BE see Ebraheim NA
Heckman TG, Lang CTG, Zöbelein I, Laumer R, Druschky A, Neundörfer B: Herniated cervical intervertebral discs with radiculopathy: an outcome study of conservatively or surgically treated patients [abstract reprinted from *J Spinal Disord*] 30(12):779
Hedlund R see Möller H
Hedman T see Hsu AT (2 citations)
Heiderscheit BC, Hamill J, Caldwell GE: Influence of Q-angle on lower-extremity running kinematics, 30(5):271–278
Heino JG see Powers CM
Heinricy M see Taimela S
Heiss DG: Exercise pro [review] 30(4):227
Heitmann BL, Lissner L, Osler M: Do we eat less fat, or just report so? [abstract reprinted from *Int J Obes*] 39(10):633
Helkowski W see Wainner RS
Hely MCG see Feyer A-M
Henderson NE, Green RA, Osmon PM, Teyhen DJ, Gregg SR, Waring CA, Chappell BL: Modalities and stretching versus use of an orthosis in the initial treatment of plantar fasciitis [abstract] 30(1):A-25
Hendrie L see Feyer A-M
Heniser ML see Anderson MA
Heniser ML, Anderson MA, Carl M, Thompson D, Bemben M: Differences in motor unit recruitment of shoulder muscles for rubber tubing resisted exercise in individuals who use manual wheelchairs as their primary mode of locomotion [abstract] 30(1):A-38
Henry KD: Home rehabilitation: guide to clinical practice [review] 30(6):355
Herbison P see Feyer A-M
Herrera L see Olson SL
Herrick R see Pfeffer G
Hertel J, Denegar CR, Buckley WE, Sharkey NA, Stokes WL: Effects of rearfoot orthotics on postural control following lateral ankle sprain [abstract] 30(1):A-38
Heruti RJ, Lusky A, Barell V, Ohry A, Adunsky A: Cognitive status at admission: does it affect the rehabilitation outcome of elderly patients with hip fracture? [abstract reprinted from *Arch Phys Med Rehabil*] 30(6):351
Herzog W, Leonard TR: The history dependence of force production in mammalian skeletal muscle following stretch-shortening and shortening-stretch cycles [abstract reprinted from *J Biomech*] 30(10):635
Herzog W, Leonard TR, Wu JZ: The relationship between force depression following shortening and mechanical work in skeletal muscle [abstract reprinted from *J Biomech*] 30(10):635–636
Hesch J: Encouraged by results of treating surgically stabilized pelvis [letter to the editor-in-chief] 30(12):768
Hesselink MKC see Komulainen J
Hester ALC see Bos KL
Hewett TE, Lindenfeld TN, Riccobene JV, Noyes FR: The effect of neuromuscular training on the incidence of knee injury in female athletes: a prospective study [abstract reprinted from *Am J Sports Med*] 30(3):156
Hicks GE see Fritz JM
Hicks GE, Fritz JM, Mishock J: The reliability of clinical examination measures used for patients with suspected lumbar segmental instability [abstract] 30(1):A-25
Higbie E see Simpson KJ

AUTHOR INDEX

Hill-Fotouhi C see Pransky G
Hillstrom HJ see Barrett JP
Himmelstein J see Pransky G
Hinman CL see Merrick MA
Hinton PS, Giordano C, Brownlie T, Haas JD: Iron supplementation improves endurance after training in iron-depleted, nonanemic women [abstract reprinted from *J Appl Physiol*] 30(9):564
Hirayama J see Takahashi Y
Hjelm EW see Vingård E
Ho L see Hsu AT (2 citations)
Ho S see Dragnich LF; Hsu AT (2 citations)
Hodgkinson BJ see Fritzsche RG
Hoehler FK see Hsieh CY
Hogstedt C see Vingård E
Höher J see Harner CD
Holder NL, Clark HA, DiBlasio JM, Hughes CL, Scherpf JW, Harding L, Shepard KF: Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants [abstract] 30(1):A-7–A-8
Holme E, Magnusson SP, Becher K, Bieler T, Aagaard P, Kjaer M: The effect of supervised rehabilitation on strength, postural sway, position sense and re-injury risk after acute ankle ligament sprain [abstract reprinted from *Scand J Med Sci Sports*] 30(9):565–566
Holzer K see Bennell K
Homel P see Haher TR
Hong CZ see Hsieh CY
Hoogenboom B see Bos KL
Hooper A see Guynes S
Horn TH, Kanner MZ: Geriatric orthopaedics: rehabilitative management of common problems, 2nd ed [review] 30(7):435
Horner H see Jette D
Hortobagyi T see DeVita P
Hoskins Michel T see Wittink H
Hough DO see Ludman CN
House MA see Garth WP
Hovland K see Darter B
Howard PD: Differential diagnosis of calf pain and weakness: flexor hallucis longus strain, 30(2):78–84
Howell D: Plantar fasciitis [letter to the editor-in-chief] 30(4):217
Hoy DK see Mawdsley RH
Hoyle K see Camp S
Hsieh CY, Hong CZ, Adams AH, Platt KJ, Danielson CD, Hoehler FK, Tobis JS: Interexaminer reliability of the palpation of trigger points in the trunk and lower limb muscles [abstract reprinted from *Arch Phys Med Rehabil*] 30(9):562
Hsieh Y-F see Dragnich LF
Hsu A-T, Ho L, Ho S, Hedman T: Joint position during anterior-posterior glide mobilization: its effect on glenohumeral abduction range of motion [abstract reprinted from *Arch Phys Med Rehabil*] 30(8):495
Hsu AT, Ho S, Ho L, Hedman T: Immediate mechanical effects of anterior-posterior glide movement on glenohumeral abduction: a fresh cadaver study [abstract] 30(1):A-25–A-26
Hubsch M see Taimela S
Hughes CL see Holder NL
Hulstyn MT see Gastel TA
Hunter D: Casting protocols for the upper and lower extremities [review] 30(3):158
Hunter D: Wound care: patient education resource manual [review] 30(9):569–570
Hunter DM see McCrory JL
Hurly BF see Roth SM
Huss GK see Lee GA
Hussein TM, Simmonds MJ, Etnyre B, Jones S: The relationship between gait parameters and disability in subjects with low back pain [abstract] 30(1):A-26
Hutton WC see Branch TP
Hwang IS see Cho CY

Ikeda ER see Capurro KL
Ikuta Y see Sumen Y
Inbar O, Weiner P, Azgad Y, Rotstein A, Weinstein Y: Specific inspiratory muscle training in well-trained endurance athletes [abstract reprinted from *Med Sci Sports Exerc*] 30(11):711
Ingersoll CD see Cordova ML
Inghilleri M, Lorenzano C, Gilio F, Pedace F, Romeo S, Manfredi M, Berardelli A: Ia Presynaptic inhibition after muscle twitch in the arm [abstract reprinted from *Muscle Nerve*] 30(10):638
Ingrando CR see Cox RA
Innocente I see De Lorenzo A
Iossifidou AN, Baltzopoulos V: Author response, 30(6):326–327
Iossifidou AN, Baltzopoulos V: Inertial effects on moment development during isokinetic concentric knee extension testing, 30(6):317–327
Irwin SC see Bruce JA
Isear JA see Girard P
Ivey FM see Roth SM

Jackson O: Living in slow motion: treating Parkinson's disease [review] 30(8):500–501
Jackson R, Friedlis M, McKeough DM, Stockslager GS, Harter BJ, Kelly RL: Effectiveness of proliferant injections in reducing pain and disability in subjects with chronic pelvic girdle hypermobility due to ligamentous instability [abstract] 30(1):A-29
Jackson RT see Ayres KM
Jackson T see Alligood CG
Jacobs P see Megginson P
Jacobsen DJ see Dolezal BA
Jamecki C see Pfeffer G
Jammes Y see Caquelard F
Janik TJ see Harrison DE (2 citations)
Jansen LMA, van Schaardenburg D, van der Horst-Bruinsma IE, Bezemer PD, Dijkmans BAC: Predictors of functional status in patients with early rheumatoid arthritis [abstract reprinted from *Ann Rheum Dis*] 30(9):561
Jarnlo G-B see Kristinsdottir EK (2 citations)
Järvholm B see Waling K
Järvinen M see Paavola M
Jeffery RW see Sherwood NE

Jenkins PG: Conservative management of a torn meniscus in a five year old female athlete [abstract] 30(1):A-42–A-43
Jeno SHN, Rada JA, Mabey RL: Isolation and identification of proteoglycan in human glenohumeral joint capsule [abstract] 30(1):A-26
Jensen GM see Everhart GS
Jensen TS see Laursen RJ
Jette D, Horner H, Lane V, Moscaritolo K, Tartof R: Functional status in patients with musculoskeletal impairments [abstract] 30(1):A-26–A-27
Jiang P see Simpson KJ
Johnson A see Palumbo NM
Johnson CW see Kaufman KR (2 citations)
Johnson D: Myth of evidence-based practice too negative [letter to the editor-in-chief] 30(9):558–559
Johnson GS: PNF and knee rehabilitation [letter to the editor-in-chief] 30(7):430–431
Johnson JE see Geideman WM; Hastings MK
Johnson JR see Goodwin CB
Johnson SC, Wright LW, Thompson AW, Lander J: Effects of stretching and pelvic inclination on quadriceps flexibility [abstract] 39(1):A-8
Johnson WG see Pransky G
Jokela M, Hanin YL: Does the individual zones of optimal functioning model discriminate between successful and less successful athletes? A meta-analysis [abstract reprinted from *J Sports Sci*] 30(5):289
Joncas J see Aubin C-E
Jones EC see Stump TJ
Jones ML see Young HJ
Jones S see Hussein TM
Jordan A, Mehlsen J, Bülow PM, Østergaard K, Danneskiold-Samsøe B: Maximal isometric strength of the cervical musculature in 100 healthy volunteers [abstract reprinted from *Spine*] 30(1):41
Jorgensen K: Practical kinesiology for the physical therapy assistant [review] 30(8):501

Kaandorp D see Schep G
Kaarela K see Lehtinen JT
Kahler DM see Romani WA
Kalliokoski R see Komulainen J
Kang J see Chaloupka EC
Kang JD see Vogt MT
Kankaanpää M see Leinonen V
Kanner MZ see Horn TH
Kannus P see Paavola M
Karakusevic V see Cox ME
Karayannis NV, Wallace KA, Carter SK: The effectiveness of trunk stabilization and aerobic endurance exercises for the treatment of chronic low back pain: a single-case experimental design [abstract] 30(1): A-8–A-9
Karduna AR see Silfies SP
Karl B, Maas RD: Proximal tibio-fibular instability with resultant common peroneal irritation manifesting itself as chronic ankle pain: a case report [abstract] 30(1):A-11
Karlsson S see Gerdle B
Karnozek TW see Freund AR
Katz JN see Pransky G
Katzman WB, Cutter KA, Ash SA: Differences in reliability of the flexible ruler for the experienced and novice tester [abstract] 30(1):A-9
Kaufman KR, Brodine SK, Shaffer RA, Johnson CW, Cullison TR: The effect of foot structure and range of motion on musculoskeletal overuse injuries [abstract reprinted from *Am J Sports Med*] 30(2):102, 30(3):156
Kauppi MJ see Lehtinen JT
Kaushal R see Sharma S
Kautiainen HJ see Lehtinen JT
Kay S, Haensel N, Stiller K: The effect of passive mobilisation following fractures involving the distal radius: a randomised study [abstract reprinted from *Aust J Physiother*] 30(11):709
Keely G, Chism KL: Relating delay of physical therapy intervention to perceived outcome in patients with low back pain [abstract] 30(1):A-27
Keen DA see Bilodeau M
Keen J, Cook C, Nyland J, Caborn DNM: Lower extremity neuromuscular recovery progression over the initial two weeks following ACL reconstruction: a case study [abstract] 30(1):A-38–A-39
Keir PJ, Wells RP: Changes in geometry of the finger flexor tendons in the carpal tunnel with wrist posture and tendon load: an MRI study on normal wrists [abstract reprinted from *Clin Biomech*] 30(4): 223
Kelley GA, Kelley KS, Tran ZV: Exercise and bone mineral density in men: a meta-analysis [abstract reprinted from *J Appl Physiol*] 30(11):710
Kelley KS see Kelley GA
Kelley MJ, Brenneman SK: An examination sign to identify the presence of a spinal accessory nerve palsy [abstract] 30(1):A-27
Kellis E see Kellis S
Kellis S, Kellis E, Manou V, Gerodimos V: Prediction of knee extensor and flexor isokinetic strength in young male soccer players, 30(11):693–701
Kelly BT see Backus SI
Kelly BT, Roskin LA, Kirkendall DT, Speer KP: Shoulder muscle activation during aquatic and dry land exercises in nonimpaired subjects, 30(4):204–210
Kelly C see Young SB
Kelly CE see Nelson BW (2 citations)
Kelly MA see Gotlin RS
Kelly RL see Jackson R
Kelsey D: Pathology and anatomy not part of disablement model [letter to the editor-in-chief] 30(8):493
Kent-Braun JA, Ng AV, Young K: Skeletal muscle contractile and noncontractile components in young and older women and men [abstract reprinted from *J Appl Physiol*] 30(8):497
Kerin MJ see Brannigan AE
Kern C: The use of compounded medications in acute lumbar spine strain [abstract] 30(1):A-9
Kernozek T see Smader JJ
Kernozek TW see Everson EJ; Kollwelter KA; Rudrud JA
Keskinen KL see Pöyhönen T

Keul J see Halle M
Khan KM see Bennell K
Khirchof R see Wall JC
Kiebzak GM see Girard P
Kikuchi S see Sato K
Kilbom Å see Vingård E
Killian CK see Reinking MF
King L, Hannon C, Peterson M: A prospective randomized trial of two exercise programs for older patients with chronic low back pain and spondylosis [abstract] 30(1):A-9–A-10
Kinzey SJ, Cordova ML, Gallen KJ, Smith JC, Moore JB: The effects of cryotherapy on ground-reaction forces produced during a functional task [abstract reprinted from *J Sport Rehab*] 30(10):637
Kirkby RJ see Kolt GS
Kirkendall DT see Kelly BT
Kisner C: Manual therapy: improve muscle and joint functioning [review] 30(3):160
Kitchen J see Ellenbecker TS; Mariano MH
Kitigawa K see Miura H
Kjaer M see Holme E
Klaesner JW see Hastings MK; Maluf KS
Klinger L, Spaulding SJ, Polatajko HJ, MacKinnon JR, Miller L: Chronic pain in the elderly: occupational adaptation as a means of coping with osteoarthritis of the hip and/or knee [abstract reprinted from *Clin J Pain*] 30(9):562–563
Klucinec B, Scheidler M, Denegar C, Domholdt E, Burgess S: Transmissivity of coupling agents used to deliver ultrasound through indirect methods, 30(5): 263–269
Kocher K see Donatelli R
Koiwa M see Fujimori J
Kollwelter KA see Rudrud JA
Kollwelter KA, Davies GJ, Kernozek TW: Effects of impulse inertial training on the internal and external rotators of the shoulder [abstract] 30(1):A-39
Kolt GS, Kirkby RJ: Epidemiology of injury in elite and subelite female gymnasts: a comparison of retrospective and prospective findings [abstract reprinted from *Br J Sports Med*] 30(2):104
Komi PV see Strojnik V
Komulainen J, Kalliokoski R, Koskinen SOA, Drost MR, Kuipers H, Hesselink MKC: Controlled lengthening or shortening contraction-induced damage is followed by fiber hypertrophy in rat skeletal muscle [abstract reprinted from *Int J Sports Med*] 30(10): 634
Kooijman CM, Dijkstra PU, Geertzen JHB, Elzinga A, van der Schans CP: Phantom pain and phantom sensations in upper limb amputees: an epidemiological study [abstract reprinted from *Pain*] 30(11):712
Koralsztein JP see Billat VL
Koskinen SOA see Komulainen J
Kramer JF see Razmjou H
Krause DA: Review of orthopaedics (3rd ed) [review] 30(11):719
Kristinsdottir EK, Jarnlo G-B, Magnusson M: Asymmetric vestibular function in the elderly might be a significant contributor to hip fractures [abstract reprinted from *Scand J Rehab Med*] 30(10):638–639, 30(11):712
Kuipers H see Komulainen J
Kulich R see Wittink H
Kulig K see Menck JY; Meszaros TF; Requejo SM
Kumagai K, Abe T, Brechue WF, Ryushi T, Takano S, Mizuno M: Sprint performance is related to muscle fascicle length in male 100-m sprinters [abstract reprinted from *J Appl Physiol*] 30(8):498
Kurtz CA, Loebig TG, Anderson DD, DeMeo PJ, Campbell PG: Insulin-like growth factor I accelerates functional recovery from Achilles tendon injury in a rat model [abstract reprinted from *Am J Sports Med*] 30(6):352

Labbe A see Page PA
Labelle H see Aubin C-E
Lacefield JF see Weir JP
Lackey B see Wall JC
Ladouceur M, Barbeau H: Functional electrical stimulation-assisted walking for persons with incomplete spinal injuries: changes in the kinematics and physiological cost of overground walking [abstract reprinted from *Scand J Rehab Med*] 30(10):639
Lake DA see Bredin LE; Cox RA; Durrence A
Lakomy HKA see McGregor SJ
Lambert MI see St Clair Gibson A
Lammi E see Fulco CS
Lampe K: Infection control in home care [review] 30(6):356–357
Lampe K: Travell and Simons' myofascial pain and dysfunction: the trigger point manual, volume 1, the upper half of the body (2nd ed) [review] 30(1):44
Lander J see Johnson SC
Landers DM see Dale KS
Landry LY: Cross-cultural rehabilitation: an international perspective [review] 30(9):569
Lane V see Jette D
Lang CTG see Heckman TG
Langer T see Riegger-Krugh C
LaPier TK see Alexander KM (2 citations)
Larivière C, Gagnon D, Loisel P: The effect of load on the coordination of the trunk for subjects with and without chronic low back pain during flexion extension and lateral bending tasks [abstract reprinted from *Clin Biomech*] 30(11):709
Laskin J see Edwards KJ
Laslett M see Young SB
Lathinghouse LH, Trimble MH: Effects of isometric quadriceps activation on the Q-angle in women before and after quadriceps exercise, 30(4):211–216
Latta LL see Sarmiento A
Laughton CL see Williams DS
Laumb BT see Mohr TM
Laumer R see Heckman TG
Laursen RJ, Graven-Nielsen T, Jensen TS, Arendt-Nielsen L: The effect of differential and complete nerve block on experimental muscle pain in humans [abstract reprinted from *Muscle Nerve*] 30(3):156
Lavender SA see Oleske DM
LeBlanc MJ see Cordova ML

Leder GM see Chaloupka EC
Lee AK see Gross MT
Lee GA, Betz RR, Clements DH, Huss GK: Proximal kyphosis after posterior spinal fusion in patients with idiopathic scoliosis [abstract reprinted from *Spine*] 30(6):349
Lee S-H see Fritzsche RG
Lee SJ see New SA
Lehtinen JT, Kaarela K, Belt EA, Kautiainen HJ, Kauppi MJ, Lehto MUK: Relation of glenohumeral and acromioclavicular joint destruction in rheumatoid shoulder. a 15 year follow up study [abstract reprinted from *Ann Rheum Dis*] 30(8):494
Lehto MUK see Lehtinen JT
Leinonen V, Kankaanpää M, Airaksinen O, Hänninen O: Back and hip extensor activities during trunk flexion/extension: effects of low back pain and rehabilitation [abstract reprinted from *Arch Phys Med Rehabil*] 30(8):495
Lemmer JT see Roth SM
Lengsfeld M see van Deursen DL
Leonard TR see Herzog W (2 citations)
Leone DM see Almeida SA
Lepak LV see Epple ML
Lephart SM see Demont RG; DeMont RG; Rozzi SL; Swanik CB
Leppilahti J see Paavola M
Leroux MA, Zabjek K, Simard G, Badeaux J, Coillard C, Rivard CH: A noninvasive anthropometric technique for measuring kyphosis and lordosis: an application for idiopathic scoliosis [abstract reprinted from *Spine*] 30(11):712–713
Leroy D, Polin D, Tourny-Chollet C, Weber J: Spatial and temporal gait variable differences between basketball, swimming and soccer players [abstract reprinted from *Int J Sports Med*] 30(10):634
Leslie CM, Thorne-Thomsen AA, Gajdosik RL: Influence of short hamstring muscles on weight of the leg measurements and subsequent quadriceps and hamstring isokinetic torques at slow and fast speeds [abstract] 30(1):A-10
LeVeau BF see Camp S
Levine DF, Pharo EC, Whittle MW: Three-dimensional analysis of lumbar lordosis during running on level, uphill, and downhill conditions [abstract] 30(1):A-27–A-28
Levison DL, Pataja SE, Mills GE: The development of an outcomes tool for an outpatient physical therapy clinic [abstract] 30(1):A-10
Lewis A see Pfeffer G
Lewis RD see Nickols-Richardson SM
Lewis SF see Fulco CS
Light KI see Goodwin CB
Lindenfeld TN see Hewett TE
Lissner L see Heitmann BL
Little CD see McPherson SL
Loebig TG see Kurtz CA
Logan T see Bybee R
Lohnes JH see Meyers WC
Loisel P see Larivière C
Lombardo G see Baldino M
London L see Branch TP
Long K see Almeida SA
Lorenzano C see Inghilleri M
Lotke PA see Wei SY
Loudon JK: Measurement of knee-joint-position sense in women with genu recurvatum [abstract reprinted from *J Sport Rehab*] 30(10):637
Loureiro MJ, Plante D, Harris BA: Physical therapy profile of patients with cervicogenic dizziness [abstract] 30(1):A-28
Lowe TG see Haher TR
Lowery RB see McCrory JL
Loyd MB: Patello-femoral pain syndrome as an indicator of hypopituitarism in a primary care physical therapy patient: a case study [abstract] 30(1):A-11
Lu T see Ebraheim NA
Lu Y see Gedalia U; Solomonow M
Lucas P see Gastel TA
Ludewig PM see Glasoe WM (2 citations)
Ludewig PM, Cook TM: Three-dimensional analysis of shoulder position in construction workers performing a drilling task [abstract] 30(1):A-28
Ludman CN, Hough DO, Cooper TG, Gottschalk A: Silent meniscal abnormalities in athletes: magnetic resonance imaging of asymptomatic competitive gymnasts [abstract reprinted from *Br J Sports Med*] 30(4):222
Luhmann S see Matava MJ
Lumsden J see Camp S
Lundberg G, Björn G: The relationship between spinal sagittal configuration, joint mobility, general low back mobility and segmental mobility in female homecare personnel [abstract reprinted from *Scand J Rehabil Med*] 30(5):292
Lusky A see Heruti RJ
Lyons M see Blanpied P

Ma CB see Harner CD
Maas RD see Karl B
Mabey RL see Jeno SHN
Mabey RM see Mohr TM
Macalisang R see Blanpied P
MacDannald SD, Reischl SF: The management of a geriatric patient with forefoot pain using soft foot orthoses [abstract] 30(1):A-11
Macfarlane A see Wang H-K
Maciewicz R see Wittink H
Mack JA see Edwards KJ
MacKinnon JR see Klinger L
MacLean CL, Taunton JE, Clement DB, Regan W: Eccentric and concentric isokinetic moment characteristics in the quadriceps and hamstrings of the chronic isolated posterior cruciate ligament injured knee [abstract reprinted from *Br J Sports Med*] 30(5):290
Maeda R: Revisiting what is "evidence" [letter to the editor-in-chief] 30(7):429–430
Magnusson M see Kristinsdottir EK (2 citations)
Magnusson SP see Home E
Mahon N see Sharma S
Maikala R see Bhambhani Y
Mair SD see Viola RW

Malanga GA: Atlas of pain management injection techniques [review] 30(12):783
Maldonado BA, Nelson J, Di Fabio RP: Quality of life outcomes and physical therapy treatment in patients with osteoarthritis [abstract] 30(1):A-12
Maletius W, Messner K: Eighteen- to twenty-four-year follow-up after complete rupture of the anterior cruciate ligament [abstract reprinted from *Am J Sports Med*] 30(3):156
Mälkiä E see Pöyhönen T
Mälkiä EA see Ylinen TT
Malone TR: Textbook of disorders and injuries of the musculoskeletal system (3rd ed) [review] 30(3):159
Maluf KS, Richter EJ, Morley RE, Pickard WF, Klaesner JW, Mueller MJ: Validity of measurements obtained from an electronic monitoring system in diabetic footwear [abstract] 30(1):A-12
Maluf KS, Van Dillen LR: Classification and use of a functional approach in the treatment of a patient with chronic low back pain: case study [abstract] 30(1):A-12
Manal TJ, Snyder-Mackler L: Failure of voluntary activation of the quadriceps femoris muscle after patellar contusion, 30(11):654–663
Mandel DM: Scoliosis [review] 30(8):500
Mandlebaum BR see Meyers WC
Mandryk J see Feyer A-M
Manfredi M see Inghilleri M
Mann KA, Werner FW, Ayers DC: Mechanical strength of the cement-bone interface is greater in shear than in tension [abstract reprinted from *J Biomech*] 30(4):221
Mannion AF, Muntener M, Taimela S, Dvorak J: A randomized clinical trial of three active therapies for chronic low back pain [abstract reprinted from *Spine*] 30(4):219–220
Manou V see Kellis S
Mariano MH, Twardik M, Ream CB, Roberts B, Kitchen J: The effects of the Protonics® system on perceived pain and lower extremity EMG activity during functional activities in patients with patellofemoral pain [abstract] 30(1):A-28–A-29
Marini JF see Prou E
Marque B see Berge J
Marshall RN, Elliott BC: Long-axis rotation: the missing link in proximal-to-distal segmental sequencing [abstract reprinted from *J Sports Sci*] 30(10):637–638
Martel GF see Roth SM
Martin DF see McCrory JL
Martin JC see Fritzsche RG; New SA
Martin RH see Ayres KM
Marx RG see Stump TJ
Massion J see Viton J-M
Mastrangelo MA see Chaloupka EC
Masullo LN see Girrbach RT
Matava MJ: Orthopaedic pearls [review] 30(11):718–719
Matava MJ, Patton CM, Luhmann S, Gordon JE, Schoenecker PL: Knee pain as the initial symptom of slipped capital femoral epiphysis: an analysis of initial presentation and treatment [abstract reprinted from *J Pediatr Orthop*] 30(1):42
Matoba H see Miura H
Mattacola CG see Hals T-MV
Mattalino AJ see Ellenbecker TS
Matthews B see Bennell K
Mattingly GE: A mathematical model for clinically measuring protraction and retraction of the sternoclavicular joint [abstract] 30(1):A-13
Mattson PA: Medical terminology: an illustrated guide [review] 30(2):106
Maughan RJ see Pitsiladis YP
Mawdsley RH, Hoy DK, Erwin PM: Criterion-related validity of the figure-of-eight method of measuring ankle edema, 30(3):149–153
May S see Adams MA
McAlister WH see Bassett GS
McCaffery T see Guynes S
McCandless R see Potts JC
McCarroll JR see Squires TS
McClay IS see Williams DS
McClure PW see Michener LA
McCrory JL, Martin DF, Lowery RB, Cannon W, Curl WW, Read HM, Hunter DM, Craven T, Messier SP: Etiologic factors associated with Achilles tendinitis in runners [abstract reprinted from *Med Sci Sports Exerc*] 30(4):218
McDonnell MK see Van Dillen LR (2 citations)
McDonnell MK, Van Dillen LR: Use of a specific, active exercise program in the treatment of a patient with chronic headaches associated with neck pain: a case report 30(1):A-13
McEntee GP see Brannigan AE
McGill SM, Yingling VR: Traction may enhance the imaging of spine injuries with plane radiographs: implications for the laboratory versus the clinic [abstract reprinted from *Clin Biomech*] 30(8):496
McGregor SJ, Nicholas CW, Lakomy HKA, Williams C: The influence of intermittent high-intensity shuttle running and fluid ingestion on the performance of a soccer skill [abstract reprinted from *J Sports Sci*] 30(4):221
McHugh MP see Gleim GW; Tyler TF
McIff TE see Saltzman CL
McKenna WJ see Sharma S
McKeough DM see Jackson R
McKiernan TL see Gross MT
McKjavic IB, Exner JA, Tesch PA, Eiken O: Hyperbaric oxygen therapy does not affect recovery from delayed onset muscle soreness [abstract reprinted from *Med Sci Sports Exerc*] 30(7):433
McLean KP: Nutrition in sport, the encyclopedia of sports medicine, volume VII [review] 30(10):641
McNamara J see Brown E
McPherson SL, Little CD, Bull JR: Utilizing verbal reports to assess changes in individuals' cognition while learning a functional task [abstract] 30(1):A-13
McPoil TG see Cornwall MW; Hayden S
McPoil TG, Cornwall MW: Use of medial longitudinal

arch height to predict plantar surface contact area during walking [abstract] 30(1):A-29–A-30
McQuade KJ see Finley MA
Megginson P, Greenblatt J, Deiso J, Rusinowski J, Jacobs P: Effects of oral creatine supplementation on isokinetic torque and power output during repeated bouts of elbow flexion and extension [abstract] 30(1):A-44
Mehlsen J see Jordan A
Meintjes AF: Motor learning and performance (2nd ed) [review] 30(2):105
Meister K, Andrews JR, Batts J, Wilk K, Baumgartner T: Symptomatic thrower's exotosis: arthroscopic evaluation and treatment [abstract reprinted from *Am J Sports Med*] 30(6):353
Melnick ME: Geriatric rehabilitation manual [review] 30(6):356
Menck JY, Requejo SM, Kulig K: Thoracic spine dysfunction in upper extremity Complex Regional Pain Syndrome Type I, 30(7):401–409
Mercer NR see Cagle PE
Mercik S, Roberto M, Harris BA, Watkins MP: Performance based tests and self-report of subjects after anterior cruciate ligament injury: surgical vs. nonsurgical management [abstract] 30(1):A-13–A-14
Merola AA see Haher TR
Merrick MA, Rankin JM, Andres FA, Hinman CL: A preliminary examination of cryotherapy and secondary injury in skeletal muscle [abstract reprinted from *Med Sci Sports Exerc*] 30(5):293
Messier SP see McCrory JL
Messner K see Maletius W
Mesure S see Viton J-M
Meszaros TF, Olson R, Kulig K, Creighton D, Czarnecki E: Effect of a 10%, 30%, and 60% body weight traction on the straight leg raise test of symptomatic patients with low back pain, 30(10):595–601
Metter EJ see Roth SM
Meyers WC, Foley DP, Garrett WE, Lohnes JH, Mandlebaum BR, PAIN (Performing Athletes with Abdominal or Inguinal Neuromuscular Pain Study Group): Management of severe lower abdominal or inguinal pain in high-performance athletes [abstract reprinted from *Am J Sports Med*] 30(8):494
Michael T see Green JM
Michel T see Falcone EM
Michener LA, McClure PW, Sennett BJ: American shoulder and elbow surgeons standardized shoulder assessment form: reliability, validity, and responsiveness [abstract] 30(1):A-30
Mientjes MIV, Frank JS: Balance in chronic low back pain patients compared to healthy people under various conditions in upright standing [abstract reprinted from *Clin Biomech*] 30(5):291
Milidonis MK, Borawski EA, Payne SM, Russell A: The impact of impairments on professional care visits for persons with arthritis [abstract] 30(1):A-30–A-31
Millea T: Revision spine surgery [review] 30(9):570–571
Mille-Hamard L see Billat VL
Miller L see Klinger L
Miller M: Pathoanatomical model and diagnosis [letter to the editor-in-chief] 30(11):705–706
Mills GE see Levison DL
Mimori K, Muneta T, Nakagawa T, Shinomiya K: A new pain provocation test for superior labral tears of the shoulder [abstract reprinted from *Am J Sports Med*] 30(6):353
Mincer AB see Cox RA
Mishock J see Hicks GE
Mitchell M see Nelson BW (2 citations)
Mitchell RS see Thomson BC
Miura H, Araki H, Matoba H, Kitagawa K: Relationship among oxygenation, myoelectric activity, and lactic acid accumulation in vastus lateralis muscle during exercise with constant work rate [abstract reprinted from *Int J Sports Med*] 30(10):634
Mizuno M see Kumagai K
Modlesky CM see Nickols-Richardson SM
Moeller A see Bybee R
Mohabataeen S see George JR
Mohr TM, Buckley SA, Haugen ME, Laumb BT, Phillips HM, Mabey RM: A study of the effects of plyometric training shoes on vertical jump height and electromyographic activity [abstract] 30(1):A-14
Moldoveanu AI see Brenner IKM
Möller H, Hedlund R: Surgery versus conservative management in adult isthmic spondylolisthesis: a prospective randomized study: part 1 [abstract reprinted from *Spine*] 30(11):713
Molnar T see Powers CM
Montero J see Valls-Canals J
Montgomery DL see Collins MH
Moore JB see Kinzey SJ
Moore JH see Girrbach RT
Morag E, Cavanagh PR: Structural and functional predictors of regional peak pressures under the foot during walking [abstract reprinted from *J Biomech*] 30(2):103
Moriarty J see Brown E
Morio B, Barra V, Ritz P, Fellmann N, Bonny J-M, Beaufrère B, Boire J-Y, Vermorel M: Benefit of endurance training in elderly people over a short period is reversible [abstract reprinted from *Eur J Appl Physiol*] 30(8):497
Morley RE see Maluf KS
Morrison HP see Adams MA
Moscaritolo K see Jette D
Mueller MJ see Hastings MK (2 citations); Maluf KS; Salsich GB
Muller K, Snyder-Mackler L: Diagnosis of patellofemoral pain after arhroscopic meniscectomy, 30(3): 138–142
Mulligan EP: Physical rehabilitation laboratory manual: focus on functional training [review] 30(10):642
Muneta T see Mimori K
Muntener M see Mannion AF
Murray DM see Sherwood NE
Murray HM: Kinesiotaping, muscle strength and ROM after ACL repair [abstract] 30(1):A-14
Murray M see Haher TR
MUSIC-Norrtälje Study Group see Vingård E

Muza SR see Fulco CS
Myers BS see Winkelstein BA
Myerson M see Pfeffer G

Nagashima S see Fujimori J
Nakagawa T see Mimori K
Nakajima Y see Takahashi Y
Nakamura H see Fujimori J
Natale VM see Brenner IKM
Nawoczenski DA see Darter B
Neal R see Vicenzino B
Nebelung W see Urbach D
Nelson BW, Carpenter DM, Dreisinger TE, Mitchell M, Kelly CE, Wegner JA: Can spinal surgery be prevented by aggressive strengthening exercises? A prospective study of cervical and lumbar patients [abstract reprinted from *Arch Phys Med Rehabil*] 30(6): 350–351, 30(12):780
Nelson J see Maldonado BA
Nelson KS see Cagle PE
Neroda JM see Ayres KM
Neuberger GE see Cagle PE
Neundörfer B see Heckman TG
Nevitt M see Vogt MT
New SA, Robins SP, Campbell MK, Martin JC, Garton MJ, Bolton-Smith C, Grubb DA, Lee SJ, Reid DM: Dietary influences on bone mass and bone metabolism: further evidence of a positive link between fruit and vegetable consumption and bone health? [abstract reprinted from *Am J Nutrition*] 30(9):560
Newman NM see Cox ME
Ng AV see Kent-Braun JA
Nicholas CW see McGregor SJ
Nicholas SJ see Gleim GW; Tyler TF (2 citations)
Nickols-Richardson SM, Modlesky CM, O'Connor PJ, Lewis RD: Premenarcheal gymnasts possess higher bone mineral density than controls [abstract reprinted from *Med Sci Sports Exerc*] 30(7):432
Nicol AC see Folwer NK
Nielsen DH see Oppliger RA
Nigg BM see Nurse MA
Nightingale RW see Winkelstein BA
Noakes TD see St Clair Gibson A
Noble L see Stroede CL
Noonan DJ see Stump TJ
Noyes FR see Hewett TE
Nurse MA, Nigg BM: Quantifying a relationship between tactile and vibration sensitivity of the human foot with plantar pressure distributions during gait [abstract reprinted from *Clin Biomech*] 30(5):291
Nyland J see Brindle TJ (2 citations); Brosky T; Keen J; Oeffinger DJ
Nyland J: Essential readings in rehabilitation outcomes measurement: application, methodology, and technology [review] 30(8):502–503

Obermann WR see Eygendaal D
Ochi M see Sumen Y
O'Connor DP see Olson SL
O'Connor PJ see Nickols-Richardson SM
O'Donoughue S see Tousignant M
Oeffinger DJ, Nyland J, Shapiro R, Pienkowski D, Caborn DNM: Allograft ACL patient quadriceps activation response to sudden knee flexion perturbation more closely matches control subjects than autograft ACL patients [abstract] 30(1):A-39
Oerlemans HM, Oostendorp RAB, de Boo T, Perez RSGM, Goris RJA: Signs and symptoms in complex regional pain syndrome type I/reflex sympathetic dystrophy: judgment of the physician versus objective measurement [abstract reprinted from *Clin J Pain*] 30(8):496
Ohry A see Heruti RJ
Ohtori S see Takahashi Y
Okereke E see Wei SY
Oleske DM, Andersson GBJ, Lavender SA, Hahn JJ: Association between recovery outcomes for work-related low back disorders and personal, family, and work factors [abstract reprinted from *Spine*] 30(10): 640
Olson R see Meszaros TF
Olson SL, O'Connor DP, Birmingham G, Broman P, Herrera L: Tender point sensitivity, range of motion, and perceived disability in subjects with neck pain, 30(1):13–20
Olson VL: Pocketbook of orthopaedics and fractures [review] 30(5):295
Olson VL: Road cycling [review] 30(10):645
Oneacre KL see Barill E; De Carlo MS
Oostendorp RAB see Oerlemans HM
Oppliger RA, Clark RR, Nielsen DH: New equations improve NIR prediction of body fat among high school wrestlers, 30(9):536–543
Oran A see Salai M
Orava S see Paavola M
Orr NM see Potts JC
Osborn RW: The upper limb and hand [review] 30(7): 435
O'Shea MF: Functional retraining of a patient with chronic low back pain utilizing a multidisciplinary pain management program [abstract] 30(1):A-14–A-15
Osler M see Heitmann BL
Osmon PM see Henderson NE
Østergaard K see Jordan A

Paavola M, Orava S, Leppilahti J, Kannus P, Järvinen M: Chronic Achilles tendon overuse injury: complications after surgical treatment: an analysis of 432 consecutive patients [abstract reprinted from *Am J Sports Med*] 30(8):494
Padula M see Sharma S
Page PA, Labbe A, Topp RV: Clinical force production of Thera-Band® elastic bands [abstract] 30(1):A-47–A-48
Page PA, Stewart G: Hamstring strength imbalances in athletes with chronic sacroiliac dysfunction [abstract] 30(1):A-48
Page PA, Wake V, Rice J: Thera-Band® contract-relax versus static stretching on ankle dorsiflexion [abstract] 30(1):A-43
PAIN (Performing Athletes with Abdominal or Ingui-

nal Neuromuscular Pain Study Group) see Meyers WC
Palermo L see Vogt MT
Palmer PB see Fleming R; Hanson CR
Paluch RA see Epstein LH
Palumbo MA see Gastel TA
Palumbo NM, George WB, Johnson A, Cade D: The effects of backpack load carrying on dynamic balance as measured by limits of stability [abstract] 30(1):A-2–A-3
Palutsis GR see Ferrara MS
Pappas Z see Gotlin RS
Pariser G, Sanborn P, Whiteside M, Zimmerman L, Deaton C, Rotheaermel B: A comparison of the effects of two dynamic range of motion protocols on hamstring flexibility [abstract] 30(1):A-43
Park SC see Cox RA
Parker DE: Geriatric pearls [review] 30(11):715
Parker RD see Tyler TF
Pataja SE see Levison DL
Patheal SL see Almeida SA
Patla CE: Sports medicine II—knee rehabilitation: return to activity after ligament injury [review] 30(8): 500
Patla CE, Abbot JH: Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment, 30(10):624–632
Patout CA Jr see Birke JA
Patrick LA see Ray BJ
Patton CM see Matava MJ
Pavol MJ, Grabiner MD: Knee strength variability between individuals across ranges of motion and hip angles [abstract reprinted from *Med Sci Sports Exerc*] 30(9):565
Payne DES: Treatment and rehabilitation of fractures [review] 30(7):434–435
Payne SM see Milidonis MK
Pearsall DJ see Collins MH
Pedace F see Inghilleri M
Perez RSGM see Oerlemans HM
Perrin DH see Romani WA
Perry J see Powers CM
Perry T see Friberg R
Peters D see Eston R
Petersen CM, Hayes KW: Construct validity of Cyriax's selective tension examination: association of end-feels with pain at the knee and shoulder, 30(9):512–527
Peterson M see King L
Petit B see Billat VL
Petit Y see Aubin C-E
Pfalzer LA: Physiology of sport and exercise (2nd ed) [review] 30(3):160–161
Pfeffer G, Bacchetti P, Deland J, Lewis A, Anderson R, Davis W, Alvarez R, Brodsky J, Cooper P, Frey C, Herrick R, Myerson M, Sammarco J, Jamecki C, Ross S, Bowman M, Smith R: Comparison of custom and prefabricated orthoses in the initial treatment of proximal plantar fasciitis [abstract reprinted from *Foot Ankle Int*] 30(2):103
Pharo EC see Levine DF
Phillips HM see Mohr TM
Piazza SJ, Cavanagh PR: Measurement of the screw-home motion of the knee is sensitive to errors in axis alignment [abstract reprinted from *J Biomech*] 30(11):710–711
Piccinelli R see De Lorenzo A
Pickard WF see Maluf KS
Pienkowski D see Oeffinger DJ
Pinniger GJ, Steele JR, Groeller H: Does fatigue induced by repeated dynamic efforts affect hamstring muscle function? [abstract reprinted from *Med Sci Sports Exerc*] 30(7):432
Pipinach L see Hayden S
Pires L see Blanpied P
Pitsiladis YP, Smith I, Maughan RJ: Increased fat availability enhances the capacity of trained individuals to perform prolonged exercise [abstract reprinted from *Med Sci Sports Exerc*] 30(5):292–293
Piva SR, Erhard RE, Al-Hugail M: Cervical radiculopathy: a case report using a decision-making algorithm, 30(12):745–754
Plante D see Loureiro MJ
Platt KJ see Hsieh CY
Pohlman M: More on evidence-based practice [letter to the editor-in-chief] 30(3):154
Pokorny MJ, Smith TD, Calus SA, Dennison EA: Self-reported oral contraceptive use and peripheral joint laxity, 30(11):683–692
Polatajko HJ see Klinger L
Polin D see Leroy D
Pöll RG see Eygendaal D
Pollock ML see Abe T
Porter D see Barill E
Portney LG see Corbett SD
Potteiger JA see Dolezal BA
Potts JC, Gallaway JM, McCandless R, Orr NM: The effect of the pilates method mat exercises on chronic low back pain, abdominal strength, and postural measurements [abstract] 30(1):A-15
Powers CM see Souza GM
Powers CM, Heino JG, Rao S, Perry J: The influence of patellofemoral pain on lower limb loading during gait [abstract reprinted from *Clin Biomech*] 30(4): 218
Powers CM, Shellock FG, Beering TV, Garrido DE, Goldbach RM, Molnar T: Effect of bracing on patellar kinematics in patients with patellofemoral joint pain [abstract reprinted from *Med Sci Sports Exerc*] 30(5):287
Pöyhönen T, Keskinen KL, Hautala A, Mälkiä E: Determination of hydrodynamic drag forces and drag coefficients on human leg/foot model during knee exercise [abstract reprinted from *Clin Biomech*] 30(8):495–496
Pradas J see Valls-Canals J
Pransky G, Benjamin K, Hill-Fotouhi C, Himmelstein J, Fletcher KE, Katz JN, Johnson WG: Outcomes in work-related upper extremity and low back injuries: results of a retrospective study [abstract reprinted from *Am J Ind Med*] 30(9):560
Prince CM see Everhart GS

Prou E, Guevel A, Benezet P, Marini JF: Exercise-induced muscle damage: absence of adaptive effect after a single session of eccentric isokinetic heavy resistance exercise [abstract reprinted from *J Sports Med Phys Fitness*] 30(4):220
Pugh L see Haher TR
Puttlitz CM, Goel VK, Clark CR, Traynelis VC, Scifert JL, Grosland NM: Biomechanical rationale for the pathology of rheumatoid arthritis in the craniovertebral junction [abstract reprinted from *Spine*] 30(12):778

Racioppi E see Detering K
Rada JA see Jeno SHN
Ramerez C see Friberg R
Rankin JM see Merrick MA
Rao S see Powers CM
Ray BJ, Patrick LA, Cade D: Differences between runners and non-runners in foot and lower extremity posture [abstract] 30(1):A-15
Razmjou H, Kramer JF, Yamada R: Intertester reliability of the McKenzie evaluation in assessing patients with mechanical low-back pain, 30(7):368–389
Read HM see McCrory JL
Ream CB see Mariano MH
Reed BV, Ashikaga T, Fleming BC, Zimny NJ: Effects of ultrasound and stretch on knee ligament extensibility, 30(6):341–347
Reeder M see Friberg R
Regan W see MacLean CL
Reid DM see New SA
Reider B see Dragnich LF
Reinking MF, Bedalov BJ, Diener LC, Fairchild RD, Filz ML, Killian CK: An electromyographic study of the upper, middle, and lower trapezius muscle activity during standard manual muscle testing procedures [abstract] 30(1):A-44
Reischl SF see MacDannald SD
Repak C see Donovan A
Requejo SM see Menck JY
Requejo SM, Kulig K, Thordarson DB: Management of foot pain associated with accessory bones of the foot: two clinical case reports, 30(10):580–594
Reuteman P see Smader JJ
Rezasoltani A see Ylinen TT
Riccobene JV see Hewett TE
Rice ED see Bybee RF
Rice J see Page PA
Rich C, Cafarelli E: Submaximal motor unit firing rates after 8 wk of isometric resistance training [abstract reprinted from *Med Sci Sports Exerc*] 30(7):432
Richalet JP see Caquelard F
Richards JE, Ackland TR, Elliott BC: The effect of training volume and growth on gymnastic performance in young women [abstract reprinted from *Pediatr Exerc Sci*] 30(3):155
Richards MP see Cox ME
Richardson WJ see Winkelstein BA
Richman TL see Ayres KM
Richter EJ see Maluf KS
Riddle DL see Freburger JK
Riddle DL: Author response, 30(12):773–775
Riddle DL: More expertise on trial [letter to the editor-in-chief] 30(11):704
Riegger-Krugh C, Langer T, Wiemer Z, Steele JPH: Customized assistive device for posture and locomotion for a dog with cerebellar ataxia [abstract] 30(1):A-15–A-16
Rinard J, Clarkson PM, Smith LL, Grossman M: Response of males and females to high-force eccentric exercise [abstract reprinted from *J Sports Sci*] 30(10):637
Ritz P see Morio B
Rivard CH see Leroux MA
Roane JA see Bybee RF
Roberto M see Mercik S
Roberts B see Mariano MH
Roberts D, Smith DJ, Donnelly S, Simard S: Plasma-volume contraction and exercise-induced hypoxaemia modulate erythropoietin production in healthy humans [abstract reprinted from *Clin Sci*] 30(9):563
Roberts R see Urfer A
Robins SP see New SA
Rock PB see Fulco CS
Rodgers MM see Finley MA
Rogers MA see Roth SM
Rogers W see Wittink H
Romani WA, Perrin DH, Dussault RG, Ball DW, Kahler DM: Identification of tibial stress fractures using therapeutic continuous ultrasound, 30(8):444–452
Romeo S see Inghilleri M
Roque JM see Forrest GP
Rose LL: Pre and post operative rehabilitation of a patient with a reverse Bankhart lesion: a single subject case report [abstract] 30(1):A-16
Roskin LA see Kelly BT
Ross S see Pfeffer G
Roth SM, Martel GF, Ivey FM, Lemmer JT, Metter EJ, Hurly BF, Rogers MA: High-volume, heavy-resistance strength training and muscle damage in young and older women [abstract reprinted from *J Appl Physiol*] 30(9):564
Rotheaermel B see Pariser G
Rotstein A see Inbar O
Rowe R see Guynes S
Roy T see Tyler TF
Rozing PM see Eygendaal D
Rozzi SL, Lephart SM, Gear WS, Fu FH: Knee joint laxity and neuromuscular characteristics of male and female soccer and basketball players [abstract reprinted from *Am J Sports Med*] 30(6):352
Rubin DA see Vogt MT
Rudrud JA, Kollwelter KA, Davies GJ, Kernozek TW, Fater DCW: Closed kinetic chain weight bearing response following knee surgery [abstract] 30(1):A-48–A-49
Rusinowski J see Megginson P
Rusko H see Vuorimaa T
Russell A see Milidonis MK
Ruszkowski A see Aubin C-E

Ryberg JA: PC-kits, visual health information, CD-ROM [review] 30(11):716–717
Ryushi T see Kumagai K

Sabbahi M see Abdulwahab SS
Sahrmann SA see Van Dillen LR (2 citations)
Salai M, Brosh T, Blankstein A, Oran A, Chechik A: Effect of changing the saddle angle on the incidence of low back pain in recreational bicyclists [abstract reprinted from *Br J Sports Med*] 30(4):222
Saliba EN see Ernst GP
Salsich GB see Hastings MK
Salsich GB, Brown M, Mueller MJ: Relationships between plantar flexor muscle stiffness, strength, and range of motion in subjects with diabetes-peripheral neuropathy compared to age-matched controls, 30(8):473–483
Saltzman CL, McIff TE, Buckwalter JA, Brown TD: Total ankle replacement revisited, 30(2):56–67
Sammarco J see Pfeffer G
Sampath P, Bendebba M, Davis JD, Ducker TB: Outcome of patients treated for cervical myelopathy. A prospective, multicenter study with independent clinical review [abstract reprinted from *Spine*] 30(12):777
Sanborn P see Pariser G
Sanders B: Policy, program evaluation, and research in disability: community support for all [review] 30(12):785
Sarmiento A, Zagorski JB, Zych GA, Latta LL, Capps CA: Functional bracing for the treatment of fractures of the humeral diaphysis [abstract reprinted from *J Bone Joint Surg*] 30(10):636
Sartorio F see Benaglia PG
Sato K, Kikuchi S, Yonezawa T: *In vivo* intradiscal pressure measurement in healthy individuals and in patients with ongoing back problems [abstract reprinted from *Spine*] 30(5):288
Savers EL see Borsa PA
Scales N see St Clair Gibson A
Schaefer LA see Cagle PE
Scheidler M see Klucinec B
Schep G, Bender MHM, Kaandorp D, Hammacher E, de Vries WR: Flow limitations in the iliac arteries in endurance athletes. Current knowledge and directions for the future [abstract reprinted from *Int J Sports Med*] 30(4):222
Scherpf JW see Holder NL
Schmieg RA see Ayres KM
Schoenecker PL see Bassett GS; Matava MJ
Schultz F see Halder A
Schwartz L see Allen G
Scibilia G see Chaloupka EC
Scifert JL see Puttlitz CM
Scott R: Case manager's desk reference [review] 30(9): 570
Scott WN see Gotlin RS
Seelen HAM see Geboers JFM (2 citations)
Senegas J see Berge J
Sennett BJ see Michener LA
Sevier TL see Worrell TW
Shaffer RA see Almeida SA; Kaufman KR (2 citations)
Shafferman M see Detering K
Shapiro R see Brindle TJ (2 citations); Oeffinger DJ
Sharkey NA see Hertel J
Sharma S, Whyte G, Elliott P, Padula M, Kaushal R, Mahon N, McKenna WJ: Electrocardiographic changes in 1000 highly trained junior elite athletes [abstract reprinted from *Br J Sports Med*] 30(5):290
Sheehan FT: MRI of the musculoskeletal system [review] 30(9):567
Shek PN see Brenner IKM
Shellock FG see Powers CM
Shepard KF see Holder NL
Shepard RJ see Brenner IKM
Sherman AL see Gotlin RS
Sherwood NE, Jeffery RW, French SA, Hannan PJ, Murray DM: Predictors of weight gain in the pound of prevention study [abstract reprinted from *Int J Obes*] 30(10):633
Shields RW see Bilodeau M
Shiga H see Fujimori J
Shin TM see Haher TR
Shinomiya K see Mimori K
Shirreffs SM see Van Hall G
Siegel KL: Challenges in rheumatoid arthritis [review] 30(11):717–718
Siegmund GP see Brault JR
Sierra N see Gotlin RS
Sigg JA see Belyea BC
Silfies SP, Ebaugh DD, Karduna AR: Reliability of surface electromyographic amplitude and fatigue parameters of back extensor muscles in healthy adults [abstract] 30(1):A-16
Simard G see Leroux MA
Simard S see Roberts D
Simmonds MJ see Hussein TM
Simmonds MJ: Counseling in sports medicine [review] 30(4):225
Simons DG: Trigger points and limited motion [letter to the editor-in-chief] 30(11):706–707
Simpson KJ, Cravens S, Higbie E, Theodorov C, DelRey P: A comparison of the Sport Stirrup, Malleoloc, and Swede-O ankle orthoses for the foot-ankle kinematics of a rapid lateral movement [abstract reprinted from *Int J Sports Med*] 30(2):104
Simpson KJ, Jiang P: Foot landing position during gait influences ground reaction forces [abstract reprinted from *Clin Biomech*] 30(2):103–104
Sinacore DR see Hastings MK
Sinacore DR, Tatko BM: Foot impairments in the elderly: results of a community screening [abstract] 30(1):A-31–A-32
Sitler MR see Hals T-MV
Smader JJ, Reuteman P, Kernozek T, Davies GJ: The validity of preseason screening tests of the trunk and hip in prevention of low back pain: a prospective study of female gymnasts [abstract] 30(1):A-44–A-45
Smidt WR: Orthopaedics: a study guide [review] 30(3): 159
Smith DJ see Roberts D
Smith I see Pitsiladis YP

Smith JC see Kinzey SJ
Smith LL see Rinard J
Smith R see Pfeffer G
Smith S see Bruce JA
Smith TD see Pokorny MJ
Snijders CJ see van Deursen DL
Snouse S see Ferrara MS
Snyder-Mackler L see Chmielewski TL; Fitzgerald GK; Manal TJ; Muller K
Solomon AH see Green JM
Solomonow M see Gedalia U
Solomonow M, Zhou B, Baratta RV, Lu Y, Harris M: Biomechanics of increased exposure to lumbar injury caused by cyclic loading: part 1. Loss of reflexive muscular stabilization [abstract reprinted from *Spine*] 30(4):219
Souza GM, Baker LL, Powers CM: EMG activity of trunk muscles during specific spine stabilization exercises [abstract] 30(1):A-32
Sparto PJ see Wrisley DM
Spaulding SJ see Hartsell HD; Klinger L
Speer KP see Kelly BT
Squires TS, McCarroll JR: Return to golf after anterior cruciate ligament reconstruction [abstract] 30(1):A-49
St Clair Gibson A, Lambert MI, Durandt JJ, Scales N, Noakes TD: Quadriceps and hamstrings peak torque ratio changes in persons with chronic anterior cruciate ligament deficiency, 30(7):418–427
Steadman JR see Viola RW
Steele JPH see Riegger-Krugh C
Steele JR see Pinniger GJ
Steiner LA see Corbett SD
Steiner LA: Professional guide to signs and symptoms (2nd ed) [review] 30(10):644
Sterett WI see Viola RW
Stevenson E: Pediatric physical therapy (3rd ed) [review] 30(1):45
Stewart G see Page PA
Stewart K see Durrence A
Stiller K see Kay S
Stiller TL see Youdas JW
Stine R see Brindle TJ (2 citations)
Stockslager GS see Jackson R
Stokes WL see Hertel J
Stone RS see Cagle PE
Strender L-E see Fjellner A
Stroede CL, Noble L, Walker HS: The effect of tennis racket string vibration dampers on racket handle vibrations and discomfort following impacts [abstract reprinted from *J Sports Sci*] 30(1):42
Strojnik V, Komi PV: Fatigue after submaximal intensive stretch-shortening cycle exercise [abstract reprinted from *Med Sci Sports Exerc*] 30(11):711–712
Stubbs PL see Woodall WR
Stumler DW see Alligood CG
Stump TJ see Cavanaugh JT
Stump TJ, Cavanaugh JT, Noonan DJ: A comparison of the sensitivity of two separate forward step down test protocols for assessing functional strength deficits in the anterior cruciate ligament insufficient knee [abstract] 30(1):A-39–A-40
Stump TJ, Marx RG, Warren RF, Wickiewicz TL, Jones EC: The relationship between laxity and stated functional outcome following anterior cruciate ligament reconstruction [abstract] 30(1):A-40
Sukiennik A see Wittink H
Sumen Y, Ochi M, Adachi N, Urabe Y, Ikuta Y: Anterior laxity and MR signals of the knee after exercise: a comparison of 9 normal knees and 6 anterior cruciate ligament reconstructed knees [abstract reprinted from *Acta Orthop Scand*] 30(6):351
Summerton N see Burton AK
Sundelin G see Waling K
Swaine IL, Winter EM: Comparison of cardiopulmonary responses to two types of dry-land upper-body exercise testing modes in competitive swimmers [abstract reprinted from *Eur J Appl Physiol*] 30(5):291–292
Swanik CB see DeMont RG
Swanik CB, Lephart SM, Giraldo JL, DeMont RG, Fu FH: Reactive muscle firing of anterior cruciate ligament-injured females during functional activities [abstract reprinted from *J Athl Training*] 30(6):353–354
Sweeney PJ see Bilodeau M
Switzer TW see Fritzsche RG
Syrotuik DG see Chilibeck PD

Tagliarini F see Caquelard F
Taimela S see Mannion AF
Taimela S, Diederich C, Hubsch M, Heinricy M: The role of physical exercise and inactivity in pain recurrence and absenteeism from work after active outpatient rehabilitation for recurrent or chronic low back pain: a follow-up study [abstract reprinted from *Spine*] 30(11):713–714
Takahashi K see Takahashi Y
Takahashi Y, Hirayama J, Nakajima Y, Ohtori S, Takahashi K: Electrical stimulation of the rat lumbar spine induces reflex action potentials in the nerves to the lower abdomen [abstract reprinted from *Spine*] 30(8):499
Takano S see Kumagai K
Talley D see Friberg R
Tartof R see Jette D
Tatko BM see Sinacore DR
Taunton JE see MacLean CL
Taylor DC see Williams GN
Terry RE see Capurro KL
Tesch PA see McKjavic IB
Teyhen DJ see Henderson NE
Theodorov C see Simpson KJ
Theorell T see Vingard E
Therneau TM see Youdas JW
Thomann AL see Worrell TW
Thompson AT see Cox RA
Thompson AW see Bredin LE; Johnson SC
Thompson D see Epple ML; Heniser ML
Thompson KA see Foster NE
Thomson BC, Mitchell RS, Westphal KA: The effects

of repetitive exercise of the shoulder on lateral scapular stability [abstract] 30(1):A-45
Thordarson DB see Requejo SM
Thorne-Thomsen AA see Leslie CM
Threlkeld AJ see Barr JB
Tilley VS see Young HJ
Tillotson KM see Burton AK
Timsit M see Viton J-M
Tobis JS see Hsieh CY
Tobler S see Ellenbecker TS
Topp RV see Page PA
Tourny-Chollet C see Leroy D
Tousignant M, deBellefeuille L, O'Donoughue S, Grahovac S: Criterion validity of the cervical range of motion (CROM) goniometer for cervical flexion and extension [abstract reprinted from *Spine*] 30(12):780
Tran ZV see Kelley GA
Traynelis VC see Puttlitz CM
Traywick CD see Hanson CR
Trimble MH see Lathinghouse LH
Trone DW see Almeida SA
Troyanovich SJ see Harrison DE (2 citations)
Tulin MV see Ylinen TT
Turcotte RA see Collins MH
Turocy RH: Therapeutic exercise: moving toward function [review] 30(2):105–106
Twardzik M see Mariano MH
Tyler TF see Gleim GW
Tyler TF: Author response, 30(2):101
Tyler TF, Calabrese GJ, Parker RD, Nicholas SJ: Electrothermally-assisted capsulorrhaphy (ETAC): a new surgical method for glenohumeral instability and its rehabilitation considerations, 30(7):390–400
Tyler TF, Roy T, Nicholas SJ, McHugh MP, Gleim GW: Posterior capsule tightness and motion loss in patients diagnosed with shoulder impingement [abstract] 30(1):A-40

Uhorchak JM see Williams GN
Urabe Y see Sumen Y
Urbach D, Nebelung W, Weiler HT, Awiszus F: Bilateral deficit of voluntary quadriceps muscle activation after unilateral ACL tear [abstract reprinted from *Med Sci Sports Exerc*] 30(5):287
Urfer A, Bevers K, Roberts R, Gibson W: A study of the incidence of upper extremity overuse syndromes and associated factors in sign language interpreters for the deaf [abstract] 30(1):A-16–A17

Valentin RS see Vogt MT
Valls-Canals J, Montero J, Pradas J: Stimulated single fiber EMG of the frontalis muscle in the diagnosis of ocular myasthenia [abstract reprinted from *Muscle Nerve*] 30(10):638
Van Den Berg SG see Van Suijlekom HA
van der Horst-Bruinsma IE see Jansen LMA
van der Schans CP see Kooijman CM
van Deursen DL, Lengsfeld M, Snijders CJ, Evers JJM, Goossens RHM: Mechanical effects of continuous passive motion on the lumbar spine in seating [abstract reprinted from *J Biomech*] 30(10):636
Van Dillen LR see Maluf KS; McDonnell MK
Van Dillen LR, McDonnell MK, Fleming DA, Sahrmann SA: Author response, 30(11):707–708
Van Dillen LR, McDonnell MK, Fleming DA, Sahrmann SA: Effect of knee and hip position on hip extension range of motion in individuals with and without low back pain, 30(6):307–316
Van Hall G, Shirreffs SM, Calbet JAL: Muscle glycogen resynthesis during recovery from cycle exercise: no effect of additional protein ingestion [abstract reprinted from *J Appl Physiol*] 30(11):710
VanHiel LR see Bruce JA
van Schaardenburg D see Jansen LMA
Van Suijlekom HA, DeVet HC, Van Den Berg SG, Weber WE: Interobserver reliability in physical examination of the cervical spine in patients with headache [abstract reprinted from *Headache*] 30(12): 780–781
Van Swearingen J: Geriatric nutrition: the health professional's handbook (2nd ed) [review] 30(9):570
van Tuijl JH see Geboers JFM (2 citations)
Van Vugt AB see Eygendaal D
van Vugt AC see van Vugt RM
van Vugt RM, Bijlsma WJ, van Vugt AC: Chronic wrist pain: diagnosis and management. Development and use of a new algorithm [abstract reprinted from *Ann Rheum Dis*] 30(3):155
Vasankari T see Vuorimaa T
Vasiliou P see Brenner IKM
Verdegaal SHM see Eygendaal D
Vermorel M see Morio B
Vernon WL see Gross MT
Vicenzino B, Griffiths SR, Griffiths LA, Hadley A: Effect of antipronation tape and temporary orthotic on vertical navicular height before and after exercise, 30(6):333–339
Vicenzino B, Neal R, Collins D, Wright A: The displacement, velocity and frequency profile of the frontal plane motion produced by the cervical lateral glide treatment technique [abstract reprinted from *Clin Biomech*] 30(12):780
Vingård E, Alfredsson L, Hagberg M, Kilbom Å, Theorell T, Waldenström M, Hjelm EW, Wiktorin C, Hogstedt C, MUSIC-Norrtälje Study Group: To what extent do current and past physical and psychosocial occupational factors explain care-seeking for low back pain in a working population? Results from the Musculoskeletal Intervention Center-Norrtälje Study [abstract reprinted from *Spine*] 30(8):499
Viola RW, Steadman JR, Mair SD, Briggs KK, Sterett WI: Anterior cruciate ligament injury incidence among male and female professional alpine skiers [abstract reprinted from *Am J Sports Med*] 30(9):561
Virtapohja HA see Ylinen TT
Vital JM see Berge J
Viton J-M, Timsit M, Mesure S, Massion J, Franceschi J-P, Delarque A: Asymmetry of gait initiation in patients with unilateral knee arthritis [abstract reprinted from *Arch Phys Med Rehabil*] 30(8):495

Vogrin TM see Harner CD
Vogt MT, Rubin DA, Valentin RS, Palermo L, Kang JD, Donaldson WF, Nevitt M, Cauley JA: Degenerative lumbar listhesis and bone mineral density in elderly women [abstract reprinted from *Spine*] 30(5):288
Vuorimaa T, Vasankari T, Rusko H: Comparison of physiological strain and muscular performance of athletes during two intermittent running exercises at the velocity associated with $\dot{V}O_2$ max [abstract reprinted from *Int J Sports Med*] 30(10):633

Waddell G see Burton AK
Wadsworth C: Clinical mechanics of the hand (3rd ed) [review] 30(5):294
Wadsworth JB: Managerial and supervisory principles for physical therapists [review] 30(4):226
Wagner A see Wittink H
Wainner RS see Fritz JM
Wainner RS, Boninger ML, Balu G, Burdett R, Helkowski W: Durkan gauge and carpal compression test: accuracy and diagnostic test properties, 30(11): 676–682
Wainner RS, Gill H: Diagnosis and nonoperative management of cervical radiculopathy, 30(12):728–744
Wajswelner H see Warden SJ
Wake V see Page PA
Walden AC see Gross MT
Waldenström M see Vingård E
Waling K, Sundelin G, Ahlgren C, Järvholm B: Perceived pain before and after three exercise programs—a controlled clinical trial of women with work-related trapezius myalgia [abstract reprinted from *Int Assoc Study Pain*] 30(7):433
Walker HS see Stroede CL
Walker N, Bohannon RW, Cameron D: Discriminant validity of temporomandibular joint range of motion measurements obtained with a ruler, 30(8): 484–492
Wall JC, Devlin J, Khirchof R, Lackey B: Measurement of step widths and step lengths: a comparison of measurements made directly from a grid with those made from a video recording, 30(7):410–417
Wallace KA see Karayannis NV
Walsh KL see Weir JP
Wang H-K, Macfarlane A, Cochrane T: Isokinetic performance and shoulder mobility in elite volleyball athletes from the United Kingdom [abstract reprinted from *Br J Sports Med*] 30(7):432
Warden SJ, Wajswelner H, Bennell KL: Comparison of abshaper and conventionally performed abdominal exercises using surface electromyography [abstract reprinted from *Med Sci Sports Exerc*] 30(5):292
Waring CA see Henderson NE
Wark JD see Bennell K
Warren RF see Backus SI; Stump TJ
Waters RL: Surgery of spinal trauma [review] 30(7): 436
Watkins M see Garcia C
Watkins MP see Mercik S
Watson AWS: Ankle sprains in players of the field-games Gaelic football and hurling [abstract reprinted from *J Sports Med Phys Fitness*] 30(6):349
Watson TA: The relationship between whiplash onset and the development of shoulder impingement: a research report [abstract] 30(1):A-32
Watt D see Cosgrove MJ
Watts PB, Daggett M, Gallagher P, Wilkins B: Metabolic response during sport rock climbing and the effects of active versus passive recovery [abstract reprinted from *Int J Sports Med*] 30(10):634–635
Weber J see Leroy D
Weber MD see Woodall WR (2 citations)
Weber WE see Van Suijlekom HA
Wegner JA see Nelson BW (2 citations)
Wei SY, Okereke E, Winiarsky R, Lotke PA: Nonoperatively treated displaced bimalleolar and trimalleolar fractures: a 20-year follow-up [abstract reprinted from *Foot Ankle Int*] 30(2):102
Weightman MM: Tetraplegia and paraplegia: a guide for physiotherapists, 5th ed [review] 30(12):782–783
Weiler HT see Urbach D
Weiner P see Inbar O
Weinsier RL see Figueroa-Colon R
Weinstein Y see Inbar O
Weir JP, Ayers KM, Lacefield JF, Walsh KL: Mechanomyographic and electromyographic responses during fatigue in humans: influence of muscle length [abstract reprinted from *Eur J Appl Physiol*] 30(9): 563
Weiss LW, Coney HD, Clark FC: Gross measures of exercise-induced muscular hypertrophy, 30(3):143–148
Welch KB see Bredin LE
Wellen MA, Desio S: Rehabilitation of the autologous cartilage transplant patient [abstract] 30(1):A32–A-33
Wells RP see Keir PJ
Werneke M: Models coexisting [letter to the editor-in-chief] 30(9):557
Werneke M, Hart DL: Role of the centralization phenomenon as a prognostic factor for chronic pain or disability [abstract] 30(1):A-33
Werner FW see Mann KA
Westphal KA see Thomson BC
Whalen RT see Giddings VL
Wheeler AH, Goolkasian P, Baird AC, Darden BV: Development of the neck pain and disability scale: item analysis, face, and criterion-related validity [abstract reprinted from *Spine*] 30(1):41
Wheeler JB see Brault JR
White KN: Exercise and the heart in health and disease (2nd ed) [review] 30(4):226–227
Whitener TA see Bruce JA
Whiteside M see Pariser G
Whitney SL see Wrisley DM
Whittle MW see Levine DF
Whyte G see Sharma S
Wickiewicz TL see Stump TJ
Wiemer Z see Riegger-Krugh C
Wiktorin C see Vingård E
Wilk BR, Fisher KL, Gutierrez W: Defective running

shoes as a contributing factor in plantar fasciitis in a triathlete, 30(1):21–31
Wilk K see Meister K
Wilkes JS see Donatelli R
Wilkes JS: The orthopaedic physical examination [review] 30(1):44–45
Wilkins B see Watts PB
Williams C see McGregor SJ
Williams DS, McClay IS, Laughton CL: A comparison of kinematic variables during running across genders [abstract] 30(1):A-33
Williams GN, Gangel TJ, Arciero RA, Uhorchak JM, Taylor DC: Comparison of the single assessment numeric evaluation method and two shoulder rating scales: outcomes measures after shoulder surgery [abstract reprinted from *Am J Sports Med*] 30(6): 352–353
Williams R see Backus SI
Williamson AM see Feyer A-M
Wilson J see Cosgrove MJ
Wilson JK see Worrell TW
Wilson RW, Gansneder BM: Measures of functional limitation as predictors of disablement in athletes with acute ankle sprains, 30(9):528–535
Winiarsky R see Wei SY
Winkelstein BA, Nightingale RW, Richardson WJ, Myers BS: The cervical facet capsule and its role in whiplash injury: a biomechanical investigation [abstract reprinted from *Spine*] 30(10):639
Winter EM see Swaine IL
Wittink H, Hoskins Michel T, Kulich R, Wagner A, Sukiennik A, Maciewicz R, Rogers W: Aerobic fitness testing in patients with chronic low back pain: which test is best? [abstract reprinted from *Spine*] 30(11): 713
Wolff M see Ellenbecker TS
Woo SL-Y see Harner CD
Wood JS see Federovich EH
Woodall WR, Weber MD, Stubbs PL: Pitch count per inning from four separate levels of baseball [abstract] 30(1):A-45–A-46
Woodall WR, Wright B, Weber MD: Identification of superficial sensory radial nerve damage in two collegiant football players [abstract] 30(1):A-45
Worrell TW see Cross KM
Worrell TW, Sevier TL, Wilson JK, Thomann AL: An attempt to determine prognostic factors for patients with lateral elbow pain [abstract] 30(1):A-34
Wright A see Vicenzino B
Wright B see Woodall WR
Wright LL see Bredin LE; Durrence A
Wright LW see Johnson SC
Wrisley DM, Sparto PJ, Whitney SL, Furman JM: Cervicogenic dizziness: a review of diagnosis and treatment, 30(12):755–766
Wu JZ see Herzog W

Yamada R see Razmjou H
Yang H see Ebraheim NA
Yates JW: Ergonomics tool kit: practical applications [review] 30(9):568
Yeasting RA see Ebraheim NA
Yin J see Zigenfus GC
Yingling VR see McGill SM
Ylinen TT, Rezasoltani A, Tulin MV, Virtapohja HA, Mälkiä EA: Reproducibility of isometric strength: measurement of neck muscles [abstract reprinted from *Clin Biomech*] 30(12):778–779
Yonezawa T see Sato K
Yoshino S see Fujimori J
Youdas JW, Atwood AL, Harris-Love MO, Stiller TL, Egan KS, Therneau TM: Measurements of temporal aspects of gait obtained with a multimemory stopwatch in persons with gait impairments, 30(5):279–286
Young HJ, Jones ML, Tilley VS: Special olympics healthy athletes initiative: physical therapy "fun fitness" program [abstract] 30(1):A-49
Young K see Kent-Braun JA
Young SB, Laslett M, Aprill CN, Kelly C: The sacroiliac joint: comparing physical examination and diagnostic block arthrography [abstract] 30(1):A-34
Yuan HA see Goodwin CB
Yuktanandana P see Demont RG

Zabjek K see Leroux MA
Zagorski JB see Sarmiento A
Zamparo P, Capelli C, Guerrini G: Energetics of kayaking at submaximal and maximal speeds [abstract reprinted from *Eur J Appl Physiol*] 30(4):223–224
Zavorsky GS see Collins MH
Zhong L see Cox ME
Zhou B see Gedalia U; Solomonow M
Zigenfus G, Giang G: Effectiveness of early physical therapy in the treatment of acute low back musculoskeletal disorders [abstract] 30(1):A-29, 30(1):A-34
Zigenfus GC, Yin J, Giang GM, Fogarty WT: Effectiveness of early physical therapy in the treatment of acute low back musculoskeletal disorders [abstract reprinted from *J Occup Environ Med*] 30(9):564
Zimmerman L see Pariser G
Zimny NJ see Reed BV
Zöbelein I see Heckman TG
Zobitz ME see Halder A
Zogaria JR: Thank you for the tribute to Jack Allison [letter to the editor-in-chief] 30(7):431
Zych GA see Sarmiento A

Acceleration
Iossifidou AN, Baltzopoulos V: Inertial effects on moment development during isokinetic concentric knee extension testing, 30(6):317–327
Accessory Bones
Requejo SM, Kulig K, Thordarson DB: Management of foot pain associated with accessory bones of the foot: two clinical case reports, 30(10):580–594
Accessory Navicular
Requejo SM, Kulig K, Thordarson DB: Management of foot pain associated with accessory bones of the foot: two clinical case reports, 30(10):580–594
Active and Passive Tension
Salsich GB, Brown M, Mueller MJ: Relationships between plantar flexor muscle stiffness, strength, and range of motion in subjects with diabetes-peripheral neuropathy compared to age-matched controls, 30(8):473–483
Acute Ankle Sprains
Wilson RW, Gansneder BM: Measures of functional limitation as predictors of disablement in athletes with acute ankle sprains, 30(9):528–535
Amputation
Birke JA, Patout CA Jr, Foto JG: Factors associated with ulceration and amputation in the neuropathic foot, 30(2):91–97
Ankle
Vicenzino B, Griffiths SR, Griffiths LA, Hadley A: Effect of antipronation tape and temporary orthotic on vertical navicular height before and after exercise, 30(6):333–339
Ankle and Foot
Birke JA, Patout CA Jr, Foto JG: Factors associated with ulceration and amputation in the neuropathic foot, 30(2):91–97
Ankle Edema
Mawdsley RH, Hoy DK, Erwin PM: Criterion-related validity of the figure-of-eight method of measuring ankle edema, 30(3):149–153
Ankle Injury and Bracing
Cordova ML, Ingersoll CD, LeBlanc MJ: Influence of ankle support on joint range of motion before and after exercise: a meta-analysis, 30(4):170–182
Ankle Joint
Salsich GB, Brown M, Mueller MJ: Relationships between plantar flexor muscle stiffness, strength, and range of motion in subjects with diabetes-peripheral neuropathy compared to age-matched controls, 30(8):473–483
Ankle Replacement
Saltzman CL, McIff TE, Buckwalter JA, Brown TD: Total ankle replacement revisited, 30(2):56–67
Ankle Sprain
Hals T-MV, Sitler MR, Mattacola CG: Effect of semirigid ankle stabilizer on performance in persons with functional ankle instability, 30(9):552–556
Mawdsley RH, Hoy DK, Erwin PM: Criterion-related validity of the figure-of-eight method of measuring ankle edema, 30(3):149–153
Anterior Cruciate Ligament
Blanpied P, Carroll R, Douglas T, Lyons M, Macalisang R, Pires L: Effectiveness of lateral slide exercise in an anterior cruciate ligament reconstruction rehabilitation home exercise program, 30(10):602–611
Fitzgerald GK, Axe MJ, Snyder-Mackler L: Proposed practice guidelines for nonoperative anterior cruciate ligament rehabilitation of physically active individuals, 30(4):194–203
Anterior Cruciate Ligament Deficiency
St Clair Gibson A, Lambert MI, Durandt JJ, Scales N, Noakes TD: Quadriceps and hamstrings peak torque ratio changes in persons with chronic anterior cruciate ligament deficiency, 30(7):418–427
Anterior Cruciate Ligament Rehabilitation
Fitzgerald GK, Axe MJ, Snyder-Mackler L: Proposed practice guidelines for nonoperative anterior cruciate ligament rehabilitation of physically active individuals, 30(4):194–203
Anthropometric Measures
Gross MT, Dailey ES, Dalton MD, Lee AK, McKiernan TL, Vernon WL, Walden AC: Relationship between lifting capacity and anthropometric measures, 30(5):237–247, 258–262
Antipronation Tape
Vicenzino B, Griffiths SR, Griffiths LA, Hadley A: Effect of antipronation tape and temporary orthotic on vertical navicular height before and after exercise, 30(6):333–339
Aquatic Therapy
Kelly BT, Roskin LA, Kirkendall DT, Speer KP: Shoulder muscle activation during aquatic and dry land exercises in nonimpaired subjects, 30(4):204–210
Arthritis
Saltzman CL, McIff TE, Buckwalter JA, Brown TD: Total ankle replacement revisited, 30(2):56–67
Arthroplasty
Saltzman CL, McIff TE, Buckwalter JA, Brown TD: Total ankle replacement revisited, 30(2):56–67
Arthroscopic Meniscectomy
Muller K, Snyder-Mackler L: Diagnosis of patellofemoral pain after arthroscopic meniscectomy, 30(3):138–142

Biomechanics
Salsich GB, Brown M, Mueller MJ: Relationships between plantar flexor muscle stiffness, strength, and range of motion in subjects with diabetes-peripheral neuropathy compared to age-matched controls, 30(8):473–483
Body Composition
Meszaros TF, Olson R, Kulig K, Creighton D, Czarnecki E: Effect of 10%, 30%, and 60% body weight traction on the straight leg raise test of symptomatic patients with low back pain, 30(10):595–601
Oppliger RA, Clark RR, Nielsen DH: New equations

improve NIR prediction of body fat among high school wrestlers, 30(9):536–543

Bone Remodeling
Romani WA, Perrin DH, Dussault RG, Ball DW, Kahler DM: Identification of tibial stress fractures using therapeutic continuous ultrasound, 30(8): 444–452

Calcaneal Eversion
Genova JM, Gross MT: Effect of foot orthotics on calcaneal eversion during standing and treadmill walking for subjects with abnormal pronation, 30(11):664–675

Calcaneus
Patla CE, Abbott JH: Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment, 30(10):624–632

Calf Pain
Howard PD: Differential diagnosis of calf pain and weakness: flexor hallucis longus strain, 30(2):78–84

Carpal Compression Test
Wainner RS, Boninger ML, Balu G, Burdett R, Helkowski W: Durkan gauge and carpal compression test: accuracy and diagnostic test properties, 30(11):676–682

Carpal Tunnel Syndrome
Wainner RS, Boninger ML, Balu G, Burdett R, Helkowski W: Durkan gauge and carpal compression test: accuracy and diagnostic test properties, 30(11):676–682

Cervical Mobility
Olson SL, O'Connor DP, Birmingham G, Broman P, Herrera L: Tender point sensitivity, range of motion, and perceived disability in subjects with neck pain, 30(1):13–20

Cervical Radiculopathy
Piva SR, Erhard R, Al-Hugail M: Cervical radiculopathy: a case report using a decision-making algorithm, 30(12):745–754
Wainner RS, Gill H: Diagnosis and nonoperative management of cervical radiculopathy, 3(12): 728–744

Cervical Root
Abdulwahab SS, Sabbahi M: Neck retractions, cervical root decompression, and radicular pain, 30(1):4–12

Cervical Spine
Olson SL, O'Connor DP, Birmingham G, Broman P, Herrera L: Tender point sensitivity, range of motion, and perceived disability in subjects with neck pain, 30(1):13–20

Cervical Vertigo
Wrisley DM, Sparto PJ, Whitney SL, Furman JM: Cervicogenic dizziness: a review of diagnosis and treatment, 30(12):755–766

Children
Kellis S, Kellis E, Manou V, Gerodimos V: Prediction of knee extensor and flexor isokinetic strength in young male soccer players, 30(11):693–701

Clinical Outcomes
Hart DL, Dobrzykowski EA: Influence of orthopaedic clinical specialist certification on clinical outcomes, 30(4):183–193

Concentric
St Clair Gibson A, Lambert MI, Durandt JJ, Scales N, Noakes TD: Quadriceps and hamstrings peak torque ratio changes in persons with chronic anterior cruciate ligament deficiency, 30(7):418–427

Connective Tissue
Reed BV, Ashikaga T, Fleming BC, Zimny NJ: Effects of ultrasound and stretch on knee ligament extensibility, 30(6):341–347

Construct Validity
Petersen CM, Hayes KW: Construct validity of Cyriax's selective tension examination: association of end-feels with pain at the knee and shoulder, 30(9):512–527

Coupling Agents
Klucinec B, Scheidler M, Denegar C, Domholdt E, Burgess S: Transmissivity of coupling agents used to deliver ultrasound through indirect methods, 30(5):263–269

Cyriax Examination
Petersen CM, Hayes KW: Construct validity of Cyriax's selective tension examination: association of end-feels with pain at the knee and shoulder, 30(9):512–527

Decision-Making Algorithm
Piva SR, Erhard R, Al-Hugail M: Cervical radiculopathy: a case report using a decision-making algorithm, 30(12):745–754

Defective Athletic Footwear
Wilk BR, Fisher KL, Gutierrez W: Defective running shoes as a contributing factor in plantar fasciitis in a triathlete, 30(1):21–31

Delayed Onset Muscle Soreness
Dierking JK, Bemben MG, Bemben DA, Anderson MA: Validity of diagnostic ultrasound as a measure of delayed onset muscle soreness, 30(3):116–125

Dentistry
Walker N, Bohannon RW, Cameron D: Discriminant validity of temporomandibular joint range of motion measurements obtained with a ruler, 30(8): 484–492

Diabetes Mellitus
Birke JA, Patout CA Jr, Foto JG: Factors associated with ulceration and amputation in the neuropathic foot, 30(2):91–97
Hastings MK, Mueller MJ, Sinacore DR, Salsich GB, Engsberg JR, Johnson JE: Effects of a tendo-Achilles lengthening procedure on muscle function and gait characteristics in a patient with diabetes mellitus, 30(2):85–90
Salsich GB, Brown M, Mueller MJ: Relationships between plantar flexor muscle stiffness, strength, and range of motion in subjects with diabetes-peripheral neuropathy compared to age-matched controls, 30(8):473–483

Diagnosis
Wainner RS, Gill H: Diagnosis and nonoperative management of cervical radiculopathy, 3(12): 728–744

Diagnostic Ultrasound
Dierking JK, Bemben MG, Bemben DA, Anderson MA: Validity of diagnostic ultrasound as a measure of delayed onset muscle soreness, 30(3):116–125

Differential Diagnosis
George SZ: Differential diagnosis and treatment for a patient with lower extremity symptoms, 30(8): 468–472
Howard PD: Differential diagnosis of calf pain and weakness: flexor hallucis longus strain, 30(2):78–84

Disablement
Olson SL, O'Connor DP, Birmingham G, Broman P, Herrera L: Tender point sensitivity, range of motion, and perceived disability in subjects with neck pain, 30(1):13–20
Wilson RW, Gansneder BM: Measures of functional limitation as predictors of disablement in athletes with acute ankle sprains, 30(9):528–535

Disc Pathology
Meszaros TF, Olson R, Kulig K, Creighton D, Czarnecki E: Effect of 10%, 30%, and 60% body weight traction on the straight leg raise test of symptomatic patients with low back pain, 30(10): 595–601

Dorsiflexion Range of Motion
Hastings MK, Mueller MJ, Sinacore DR, Salsich GB, Engsberg JR, Johnson JE: Effects of a tendo-Achilles lengthening procedure on muscle function and gait characteristics in a patient with diabetes mellitus, 30(2):85–90

Durkan Gauge
Wainner RS, Boninger ML, Balu G, Burdett R, Helkowski W: Durkan gauge and carpal compression test: accuracy and diagnostic test properties, 30(11):676–682

Dysequilibrium
Wrisley DM, Sparto PJ, Whitney SL, Furman JM: Cervicogenic dizziness: a review of diagnosis and treatment, 30(12):755–766

Eccentric Exercise
Dierking JK, Bemben MG, Bemben DA, Anderson MA: Validity of diagnostic ultrasound as a measure of delayed onset muscle soreness, 30(3):116–125
St Clair Gibson A, Lambert MI, Durandt JJ, Scales N, Noakes TD: Quadriceps and hamstrings peak torque ratio changes in persons with chronic anterior cruciate ligament deficiency, 30(7):418–427

Edema
Mawdsley RH, Hoy DK, Erwin PM: Criterion-related validity of the figure-of-eight method of measuring ankle edema, 30(3):149–153

Electromyography
Abdulwahab SS, Sabbahi M: Neck retractions, cervical root decompression, and radicular pain, 30(1):4–12
Kelly BT, Roskin LA, Kirkendall DT, Speer KP: Shoulder muscle activation during aquatic and dry land exercises in nonimpaired subjects, 30(4): 204–210

Electrothermally-Assisted Capsulorrhaphy (ETAC)
Tyler TF, Calabrese GJ, Parker RD, Nicholas SJ: Electrothermally-assisted capsulorrhaphy (ETAC): a new surgical method for glenohumeral instability and its rehabilitation considerations, 30(7):390–400

Energy Cost
Chaloupka EC, Kang J, Mastrangelo MA, Scibilia G, Leder GM, Angelucci J: Metabolic and cardiorespiratory responses to continuous box lifting and lowering in nonimpaired subjects, 30(5):249–257, 258–262

Error
Iossifidou AN, Baltzopoulos V: Inertial effects on moment development during isokinetic concentric knee extension testing, 30(6):317–327

Estrogen
Pokorny MJ, Smith TD, Calus SA, Dennison EA: Self-reported oral contraceptive use and peripheral joint laxity, 30(11):683–692

Evaluation
Youdas JW, Atwood AL, Harris-Love MO, Stiller TL, Egan KS, Therneau TM: Measurements of temporal aspects of gait obtained with a multimemory stopwatch in persons with gait impairments, 30(5):279–286

Exercise
Bang MD, Deyle GD: Comparison of supervised exercise with and without manual physical therapy for patients with shoulder impingement syndrome, 30(3):126–137
Cordova ML, Ingersoll CD, LeBlanc MJ: Influence of ankle support on joint range of motion before and after exercise: a meta-analysis, 30(4):170–182
Kelly BT, Roskin LA, Kirkendall DT, Speer KP: Shoulder muscle activation during aquatic and dry land exercises in nonimpaired subjects, 30(4): 204–210
Patla CE, Abbott JH: Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment, 30(10):624–632
Vicenzino B, Griffiths SR, Griffiths LA, Hadley A: Effect of antipronation tape and temporary orthotic on vertical navicular height before and after exercise, 30(6):333–339
Weiss LW, Coney HD, Clark FC: Gross measures of exercise-induced muscular hypertrophy, 30(3): 143–148

Figure-of-Eight
Mawdsley RH, Hoy DK, Erwin PM: Criterion-related validity of the figure-of-eight method of measuring ankle edema, 30(3):149–153

First Metatarsal
Glasoe WM, Allen MK, Ludewig PM: Comparison of first ray dorsal mobility among different forefoot alignments, 30(10):612–623
Flatfoot
Geideman WM, Johnson JE: Posterior tibial tendon dysfunction, 30(2):68–77
Flexibility
Van Dillen LR, McDonnell MK, Fleming DA, Sahrmann SA: Effect of knee and hip position on hip extension range of motion in individuals with and without low back pain, 30(6):307–316
Flexor Hallucis Longus
Howard PD: Differential diagnosis of calf pain and weakness: flexor hallucis longus strain, 30(2):78–84
Foot
Vicenzino B, Griffiths SR, Griffiths LA, Hadley A: Effect of antipronation tape and temporary orthotic on vertical navicular height before and after exercise, 30(6):333–339
Foot Eversion
Genova JM, Gross MT: Effect of foot orthotics on calcaneal eversion during standing and treadmill walking for subjects with abnormal pronation, 30(11):664–675
Foot Pain
Requejo SM, Kulig K, Thordarson DB: Management of foot pain associated with accessory bones of the foot: two clinical case reports, 30(10):580–594
Forefoot Alignment
Glasoe WM, Allen MK, Ludewig PM: Comparison of first ray dorsal mobility among different forefoot alignments, 30(10):612–623
Functional Limitation
Wilson RW, Gansneder BM: Measures of functional limitation as predictors of disablement in athletes with acute ankle sprains, 30(9):528–535

Gait
Hastings MK, Mueller MJ, Sinacore DR, Salsich GB, Engsberg JR, Johnson JE: Effects of a tendo-Achilles lengthening procedure on muscle function and gait characteristics in a patient with diabetes mellitus, 30(2):85–90
Youdas JW, Atwood AL, Harris-Love MO, Stiller TL, Egan KS, Therneau TM: Measurements of temporal aspects of gait obtained with a multimemory stopwatch in persons with gait impairments, 30(5):279–286
Gilmore's Groin
Brannigan AE, Kerin MJ, McEntee GP: Gilmore's groin repair in athletes, 30(6):329–332

Hamstrings
St Clair Gibson A, Lambert MI, Durandt JJ, Scales N, Noakes TD: Quadriceps and hamstrings peak torque ratio changes in persons with chronic anterior cruciate ligament deficiency, 30(7):418–427
Health-Related Quality of Life
Hart DL, Dobrzykowski EA: Influence of orthopaedic clinical specialist certification on clinical outcomes, 30(4):183–193
Heat
Reed BV, Ashikaga T, Fleming BC, Zimny NJ: Effects of ultrasound and stretch on knee ligament extensibility, 30(6):341–347
Heavy-Resistance Training
Weiss LW, Coney HD, Clark FC: Gross measures of exercise-induced muscular hypertrophy, 30(3):143–148
Heel Pain
Patla CE, Abbott JH: Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment, 30(10):624–632
Hernia
Brannigan AE, Kerin MJ, McEntee GP: Gilmore's groin repair in athletes, 30(6):329–332
Hip
Van Dillen LR, McDonnell MK, Fleming DA, Sahrmann SA: Effect of knee and hip position on hip extension range of motion in individuals with and without low back pain, 30(6):307–316
H Reflex
Abdulwahab SS, Sabbahi M: Neck retractions, cervical root decompression, and radicular pain, 30(1):4–12

Isoinertial
Weiss LW, Coney HD, Clark FC: Gross measures of exercise-induced muscular hypertrophy, 30(3):143–148
Isokinetic
St Clair Gibson A, Lambert MI, Durandt JJ, Scales N, Noakes TD: Quadriceps and hamstrings peak torque ratio changes in persons with chronic anterior cruciate ligament deficiency, 30(7):418–427
Isokinetic Concentric Knee Extension
Iossifidou AN, Baltzopoulos V: Inertial effects on moment development during isokinetic concentric knee extension testing, 30(6):317–327
Isometric
Lathinghouse LH, Trimble MH: Effects of isometric quadriceps activation on the Q-angle in women before and after quadriceps exercise, 30(4):211–216

Joint Motion
Cordova ML, Ingersoll CD, LeBlanc MJ: Influence of ankle support on joint range of motion before and after exercise: a meta-analysis, 30(4):170–182

Kinematics
Genova JM, Gross MT: Effect of foot orthotics on calcaneal eversion during standing and treadmill walking for subjects with abnormal pronation, 30(11):664–675
Knee
Fitzgerald GK, Axe MJ, Snyder-Mackler L: Proposed

practice guidelines for nonoperative anterior cruciate ligament rehabilitation of physically active individuals, 30(4):194–203
Iossifidou AN, Baltzopoulos V: Inertial effects on moment development during isokinetic concentric knee extension testing, 30(6):317–327
Van Dillen LR, McDonnell MK, Fleming DA, Sahrmann SA: Effect of knee and hip position on hip extension range of motion in individuals with and without low back pain, 30(6):307–316

Knee Function
Manal TJ, Snyder-Mackler L: Failure of voluntary activation of the quadriceps femoris muscle after patellar contusion, 30(11):654–663

Knee Ligament Extensibility
Reed BV, Ashikaga T, Fleming BC, Zimny NJ: Effects of ultrasound and stretch on knee ligament extensibility, 30(6):341–347

Knee Strength
Kellis S, Kellis E, Manou V, Gerodimos V: Prediction of knee extensor and flexor isokinetic strength in young male soccer players, 30(11):693–701

KT-1000
Pokorny MJ, Smith TD, Calus SA, Dennison EA: Self-reported oral contraceptive use and peripheral joint laxity, 30(11):683–692

Lateral Slide Exercise
Blanpied P, Carroll R. Douglas T, Lyons M, Macalisang R, Pires L: Effectiveness of lateral slide exercise in an anterior cruciate ligament reconstruction rehabilitation home exercise program, 30(10):602–611

Lifting
Chaloupka EC, Kang J, Mastrangelo MA, Scibilia G, Leder GM, Angelucci J: Metabolic and cardiorespiratory responses to continuous box lifting and lowering in nonimpaired subjects, 30(5):249–257, 258–262
Gross MT, Dailey ES, Dalton MD, Lee AK, McKiernan TL, Vernon WL, Walden AC: Relationship between lifting capacity and anthropometric measures, 30(5):237–247, 258–262

Ligamentous Laxity
Pokorny MJ, Smith TD, Calus SA, Dennison EA: Self-reported oral contraceptive use and peripheral joint laxity, 30(11):683–692

Low Back Pain
Meszaros TF, Olson R, Kulig K, Creighton D, Czarnecki E: Effect of 10%, 30%, and 60% body weight traction on the straight leg raise test of symptomatic patients with low back pain, 30(10):595–601
Razmjou H, Kramer JF, Yamada R: Intertester reliability of the McKenzie evaluation in assessing patients with mechanical low-back pain, 30(7):368–389
Van Dillen LR, McDonnell MK, Fleming DA, Sahrmann SA: Effect of knee and hip position on hip extension range of motion in individuals with and without low back pain, 30(6):307–316

Lower Extremity
George SZ: Differential diagnosis and treatment for a patient with lower extremity symptoms, 30(8):468–472

Lower-Extremity Running Kinematics
Heiderscheit BC, Hamill J, Caldwell GE: Influence of Q-angle on lower-extremity running kinematics, 30(5):271–278

Lumbar Spine
Razmjou H, Kramer JF, Yamada R: Intertester reliability of the McKenzie evaluation in assessing patients with mechanical low-back pain, 30(7):368–389

Lumbar Traction
Meszaros TF, Olson R, Kulig K, Creighton D, Czarnecki E: Effect of 10%, 30%, and 60% body weight traction on the straight leg raise test of symptomatic patients with low back pain, 30(10):595–601

Magnetic Resonance Imaging
Romani WA, Perrin DH, Dussault RG, Ball DW, Kahler DM: Identification of tibial stress fractures using therapeutic continuous ultrasound, 30(8):444–452

Manipulation
Menck JY, Requejo SM, Kulig K: Thoracic spine dysfunction in upper extremity Complex Regional Pain Syndrome Type I, 30(7):401–409

Manual Therapy
Bang MD, Deyle GD: Comparison of supervised exercise with and without manual physical therapy for patients with shoulder impingement syndrome, 30(3):126–137
Beissel MD: Role of manual therapy in the evaluation and treatment of a surgically stabilized pelvis, 30(8):453–467
Menck JY, Requejo SM, Kulig K: Thoracic spine dysfunction in upper extremity Complex Regional Pain Syndrome Type I, 30(7):401–409
Petersen CM, Hayes KW: Construct validity of Cyriax's selective tension examination: association of end-feels with pain at the knee and shoulder, 30(9):512–527

McKenzie Therapists
Razmjou H, Kramer JF, Yamada R: Intertester reliability of the McKenzie evaluation in assessing patients with mechanical low-back pain, 30(7):368–389

Meta-analysis
Cordova ML, Ingersoll CD, LeBlanc MJ: Influence of ankle support on joint range of motion before and after exercise: a meta-analysis, 30(4):170–182

Metabolic and Cardiorespiratory Responses
Chaloupka EC, Kang J, Mastrangelo MA, Scibilia G, Leder GM, Angelucci J: Metabolic and cardiorespiratory responses to continuous box lifting and

lowering in nonimpaired subjects, 30(5):249–257, 258–262

Modeling
Gross MT, Dailey ES, Dalton MD, Lee AK, McKiernan TL, Vernon WL, Walden AC: Relationship between lifting capacity and anthropometric measures, 30(5):237–247, 258–262

Muscle
Kelly BT, Roskin LA, Kirkendall DT, Speer KP: Shoulder muscle activation during aquatic and dry land exercises in nonimpaired subjects, 30(4):204–210
Patla CE, Abbott JH: Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment, 30(10):624–632

Muscle Atrophy
St Clair Gibson A, Lambert MI, Durandt JJ, Scales N, Noakes TD: Quadriceps and hamstrings peak torque ratio changes in persons with chronic anterior cruciate ligament deficiency, 30(7):418–427

Muscle Function
Hastings MK, Mueller MJ, Sinacore DR, Salsich GB, Engsberg JR, Johnson JE: Effects of a tendo-Achilles lengthening procedure on muscle function and gait characteristics in a patient with diabetes mellitus, 30(2):85–90

Muscle Soreness
Dierking JK, Bemben MG, Bemben DA, Anderson MA: Validity of diagnostic ultrasound as a measure of delayed onset muscle soreness, 30(3):116–125

Muscular Hypertrophy
Weiss LW, Coney HD, Clark FC: Gross measures of exercise-induced muscular hypertrophy, 30(3):143–148

Myofascial Tightness
Patla CE, Abbott JH: Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment, 30(10):624–632

Near-Infrared Photospectrometry
Oppliger RA, Clark RR, Nielsen DH: New equations improve NIR prediction of body fat among high school wrestlers, 30(9):536–543

Neck Pain
Abdulwahab SS, Sabbahi M: Neck retractions, cervical root decompression, and radicular pain, 30(1):4–12
Olson SL, O'Connor DP, Birmingham G, Broman P, Herrera L: Tender point sensitivity, range of motion, and perceived disability in subjects with neck pain, 30(1):13–20

Neurodynamics
Requejo SM, Kulig K, Thordarson DB: Management of foot pain associated with accessory bones of the foot: two clinical case reports, 30(10):580–594

Neuropathic Foot
Birke JA, Patout CA Jr, Foto JG: Factors associated with ulceration and amputation in the neuropathic foot, 30(2):91–97

Oral Contraceptive Use
Pokorny MJ, Smith TD, Calus SA, Dennison EA: Self-reported oral contraceptive use and peripheral joint laxity, 30(11):683–692

Orthopaedic Clinical Specialist Certification
Hart DL, Dobrzykowski EA: Influence of orthopaedic clinical specialist certification on clinical outcomes, 30(4):183–193

Orthopedics
Petersen CM, Hayes KW: Construct validity of Cyriax's selective tension examination: association of end-feels with pain at the knee and shoulder, 30(9):512–527

Orthotics
Genova JM, Gross MT: Effect of foot orthotics on calcaneal eversion during standing and treadmill walking for subjects with abnormal pronation, 30(11):664–675
Vicenzino B, Griffiths SR, Griffiths LA, Hadley A: Effect of antipronation tape and temporary orthotic on vertical navicular height before and after exercise, 30(6):333–339

Os Peroneum
Requejo SM, Kulig K, Thordarson DB: Management of foot pain associated with accessory bones of the foot: two clinical case reports, 30(10):580–594

Os Tibiale Externum
Requejo SM, Kulig K, Thordarson DB: Management of foot pain associated with accessory bones of the foot: two clinical case reports, 30(10):580–594

Outcomes
Hart DL, Dobrzykowski EA: Influence of orthopaedic clinical specialist certification on clinical outcomes, 30(4):183–193

Oxygen Uptake
Chaloupka EC, Kang J, Mastrangelo MA, Scibilia G, Leder GM, Angelucci J: Metabolic and cardiorespiratory responses to continuous box lifting and lowering in nonimpaired subjects, 30(5):249–257, 258–262

Palpation Tenderness
Olson SL, O'Connor DP, Birmingham G, Broman P, Herrera L: Tender point sensitivity, range of motion, and perceived disability in subjects with neck pain, 30(1):13–20

Patellar Contusion
Manal TJ, Snyder-Mackler L: Failure of voluntary activation of the quadriceps femoris muscle after patellar contusion, 30(11).654–663

Patellofemoral Joint
Lathinghouse LH, Trimble MH: Effects of isometric quadriceps activation on the Q-angle in women before and after quadriceps exercise, 30(4):211–216

Patellofemoral Pain
Muller K, Snyder-Mackler L: Diagnosis of patellofemoral pain after arthroscopic meniscectomy, 30(3):138–142

Peak Plantar Pressure
Hastings MK, Mueller MJ, Sinacore DR, Salsich GB, Engsberg JR, Johnson JE: Effects of a tendo-Achilles lengthening procedure on muscle function and gait characteristics in a patient with diabetes mellitus, 30(2):85–90

Peak Torque
St Clair Gibson A, Lambert MI, Durandt JJ, Scales N, Noakes TD: Quadriceps and hamstrings peak torque ratio changes in persons with chronic anterior cruciate ligament deficiency, 30(7):418–427

Pelvis
Beissel MD: Role of manual therapy in the evaluation and treatment of a surgically stabilized pelvis, 30(8):453–467

Peripheral Neuropathy
Birke JA, Patout CA Jr, Foto JG: Factors associated with ulceration and amputation in the neuropathic foot, 30(2):91–97

Pes Planovalgus
Geideman WM, Johnson JE: Posterior tibial tendon dysfunction, 30(2):68–77

Physical Examination
Patla CE, Abbott JH: Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment, 30(10):624–632

Physical Performance Test
Hastings MK, Mueller MJ, Sinacore DR, Salsich GB, Engsberg JR, Johnson JE: Effects of a tendo-Achilles lengthening procedure on muscle function and gait characteristics in a patient with diabetes mellitus, 30(2):85–90

Physical Therapy
Patla CE, Abbott JH: Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment, 30(10):624–632
Petersen CM, Hayes KW: Construct validity of Cyriax's selective tension examination: association of end-feels with pain at the knee and shoulder, 30(9):512–527
Vicenzino B, Griffiths SR, Griffiths LA, Hadley A: Effect of antipronation tape and temporary orthotic on vertical navicular height before and after exercise, 30(6):333–339
Walker N, Bohannon RW, Cameron D: Discriminant validity of temporomandibular joint range of motion measurements obtained with a ruler, 30(8):484–492

Plantar Fasciitis
Wilk BR, Fisher KL, Gutierrez W: Defective running shoes as a contributing factor in plantar fasciitis in a triathlete, 30(1):21–31

Plantar Flexor Moment
Hastings MK, Mueller MJ, Sinacore DR, Salsich GB, Engsberg JR, Johnson JE: Effects of a tendo-Achilles lengthening procedure on muscle function and gait characteristics in a patient with diabetes mellitus, 30(2):85–90

Plantar Flexor Muscle
Salsich GB, Brown M, Mueller MJ: Relationships between plantar flexor muscle stiffness, strength, and range of motion in subjects with diabetes-peripheral neuropathy compared to age-matched controls, 30(8):473–483

Plantar Ligament Inflammatory Syndrome
Wilk BR, Fisher KL, Gutierrez W: Defective running shoes as a contributing factor in plantar fasciitis in a triathlete, 30(1):21–31

Posterior Tibial Tendon Dysfunction
Geideman WM, Johnson JE: Posterior tibial tendon dysfunction, 30(2):68–77

Postural Instability
Hals T-MV, Sitler MR, Mattacola CG: Effect of semirigid ankle stabilizer on performance in persons with functional ankle instability, 30(9):552–556

Posture
Abdulwahab SS, Sabbahi M: Neck retractions, cervical root decompression, and radicular pain, 30(1):4–12

Professional Baseball Pitchers
Donatelli R, Ellenbecker TS, Ekedahl SR, Wilkes JS, Kocher K, Adam J: Assessment of shoulder strength in professional baseball pitchers, 30(9):544–551

Progesterone
Pokorny MJ, Smith TD, Calus SA, Dennison EA: Self-reported oral contraceptive use and peripheral joint laxity, 30(11):683–692

Pronation
Genova JM, Gross MT: Effect of foot orthotics on calcaneal eversion during standing and treadmill walking for subjects with abnormal pronation, 30(11):664–675

Q-angle
Heiderscheit BC, Hamill J, Caldwell GE: Influence of Q-angle on lower-extremity running kinematics, 30(5):271–278
Lathinghouse LH, Trimble MH: Effects of isometric quadriceps activation on the Q-angle in women before and after quadriceps exercise, 30(4):211–216

Quadriceps
St Clair Gibson A, Lambert MI, Durandt JJ, Scales N, Noakes TD: Quadriceps and hamstrings peak torque ratio changes in persons with chronic anterior cruciate ligament deficiency, 30(7):418–427

Quadriceps Exercise
Lathinghouse LH, Trimble MH: Effects of isometric quadriceps activation on the Q-angle in women before and after quadriceps exercise, 30(4):211–216

Quadriceps Strength
Manal TJ, Snyder-Mackler L: Failure of voluntary activation of the quadriceps femoris muscle after patellar contusion, 30(11):654–663

Range of Motion
Cordova ML, Ingersoll CD, LeBlanc MJ: Influence of ankle support on joint range of motion before and after exercise: a meta-analysis, 30(4):170–182
Olson SL, O'Connor DP, Birmingham G, Broman P, Herrera L: Tender point sensitivity, range of motion, and perceived disability in subjects with neck pain, 30(1):13–20
Salsich GB, Brown M, Mueller MJ: Relationships between plantar flexor muscle stiffness, strength, and range of motion in subjects with diabetes-peripheral neuropathy compared to age-matched controls, 30(8):473–483
Van Dillen LR, McDonnell MK, Fleming DA, Sahrmann SA: Effect of knee and hip position on hip extension range of motion in individuals with and without low back pain, 30(6):307–316
Walker N, Bohannon RW, Cameron D: Discriminant validity of temporomandibular joint range of motion measurements obtained with a ruler, 30(8): 484–492
Reflex Quadriceps Inhibition
Manal TJ, Snyder-Mackler L: Failure of voluntary activation of the quadriceps femoris muscle after patellar contusion, 30(11):654–663
Reflex Sympathetic Dystrophy
Menck JY, Requiejo SM, Kulig K: Thoracic spine dysfunction in upper extremity Complex Regional Pain Syndrome Type I, 30(7):401–409
Rehabilitation
Blanpied P, Carroll R, Douglas T, Lyons M, Macalisang R, Pires L: Effectiveness of lateral slide exercise in an anterior cruciate ligament reconstruction rehabilitation home exercise program, 30(10):602–611
Chaloupka EC, Kang J, Mastrangelo MA, Scibilia G, Leder GM, Angelucci J: Metabolic and cardiorespiratory responses to continuous box lifting and lowering in nonimpaired subjects, 30(5):249–257, 258–262
Fitzgerald GK, Axe MJ, Snyder-Mackler L: Proposed practice guidelines for nonoperative anterior cruciate ligament rehabilitation of physically active individuals, 30(4):194–203
Tyler TF, Calabrese GJ, Parker RD, Nicholas SJ: Electrothermally-assisted capsulorrhaphy (ETAC): a new surgical method for glenohumeral instability and its rehabilitation considerations, 30(7):390–400
Reliability
Mawdsley RH, Hoy DK, Erwin PM: Criterion-related validity of the figure-of-eight method of measuring ankle edema, 30(3):149–153
Razmjou H, Kramer JF, Yamada R: Intertester reliability of the McKenzie evaluation in assessing patients with mechanical low-back pain, 30(7):368–389
Resistive Exercise
Kellis S, Kellis E, Manou V, Gerodimos V: Prediction of knee extensor and flexor isokinetic strength in young male soccer players, 30(11):693–701
Rotator Cuff
Kelly BT, Roskin LA, Kirkendall DT, Speer KP: Shoulder muscle activation during aquatic and dry land exercises in nonimpaired subjects, 30(4): 204–210
Rotator Cuff Strength
Donatelli R, Ellenbecker TS, Ekedahl SR, Wilkes JS, Kocher K, Adam J: Assessment of shoulder strength in professional baseball pitchers, 30(9): 544–551
Running
Wilk BR, Fisher KL, Gutierrez W: Defective running shoes as a contributing factor in plantar fasciitis in a triathlete, 30(1):21–31

Scapular Muscle Strength
Donatelli R, Ellenbecker TS, Ekedahl SR, Wilkes JS, Kocher K, Adam J: Assessment of shoulder strength in professional baseball pitchers, 30(9): 544–551
Segment Alignment
Heiderscheit BC, Hamill J, Caldwell GE: Influence of Q-angle on lower-extremity running kinematics, 30(5):271–278
Shoulder Impingement Syndrome
Bang MD, Deyle GD: Comparison of supervised exercise with and without manual physical therapy for patients with shoulder impingement syndrome, 30(3):126–137
Shoulder Instability
Tyler TF, Calabrese GJ, Parker RD, Nicholas SJ: Electrothermally-assisted capsulorrhaphy (ETAC): a new surgical method for glenohumeral instability and its rehabilitation considerations, 30(7):390–400
Shoulder Muscle Activation
Kelly BT, Roskin LA, Kirkendall DT, Speer KP: Shoulder muscle activation during aquatic and dry land exercises in nonimpaired subjects, 30(4): 204–210
Shoulder Strength
Donatelli R, Ellenbecker TS, Ekedahl SR, Wilkes JS, Kocher K, Adam J: Assessment of shoulder strength in professional baseball pitchers, 30(9): 544–551
Skeletal
Patla CE, Abbott JH: Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment, 30(10):624–632
Soccer
Kellis S, Kellis E, Manou V, Gerodimos V: Prediction of knee extensor and flexor isokinetic strength in young male soccer players, 30(11):693–701
Sports Injury
Brannigan AE, Kerin MJ, McEntee GP: Gilmore's groin repair in athletes, 30(6):329–332
Step
Wall JC, Devlin J, Khirchof R, Lackey B: Measure-

ment of step widths and step lengths: a comparison of measurements made directly from a grid with those made from a video recording, 30(7): 410–417

Straight Leg Raise Test

Meszaros TF, Olson R, Kulig K, Creighton D, Czarnecki E: Effect of 10%, 30%, and 60% body weight traction on the straight leg raise test of symptomatic patients with low back pain, 30(10): 595–601

Strength

Gross MT, Dailey ES, Dalton MD, Lee AK, McKiernan TL, Vernon WL, Walden AC: Relationship between lifting capacity and anthropometric measures, 30(5):237–247, 258–262

Salsich GB, Brown M, Mueller MJ: Relationships between plantar flexor muscle stiffness, strength, and range of motion in subjects with diabetes-peripheral neuropathy compared to age-matched controls, 30(8):473–483

Strengthening

Blanpied P, Carroll R, Douglas T, Lyons M, Macalisang R, Pires L: Effectiveness of lateral slide exercise in an anterior cruciate ligament reconstruction rehabilitation home exercise program, 30(10):602–611

Stress Fractures

Romani WA, Perrin DH, Dussault RG, Ball DW, Kahler DM: Identification of tibial stress fractures using therapeutic continuous ultrasound, 30(8): 444–452

Stretch

Reed BV, Ashikaga T, Fleming BC, Zimny NJ: Effects of ultrasound and stretch on knee ligament extensibility, 30(6):341–347

Temporomandibular Joint

Walker N, Bohannon RW, Cameron D: Discriminant validity of temporomandibular joint range of motion measurements obtained with a ruler, 30(8): 484–492

Tendinitis

Geideman WM, Johnson JE: Posterior tibial tendon dysfunction, 30(2):68–77

Tendo-Achilles

Hastings MK, Mueller MJ, Sinacore DR, Salsich GB, Engsberg JR, Johnson JE: Effects of a tendo-Achilles lengthening procedure on muscle function and gait characteristics in a patient with diabetes mellitus, 30(2):85–90

Tests and Measurements

Dierking JK, Bemben MG, Bemben DA, Anderson MA: Validity of diagnostic ultrasound as a measure of delayed onset muscle soreness, 30(3):116–125

Petersen CM, Hayes KW: Construct validity of Cyriax's selective tension examination: association of end-feels with pain at the knee and shoulder, 30(9):512–527

Walker N, Bohannon RW, Cameron D: Discriminant validity of temporomandibular joint range of motion measurements obtained with a ruler, 30(8): 484–492

Wilson RW, Gonsneder BM: Measures of functional limitation as predictors of disablement in athletes with acute ankle sprains, 30(9):528–535

Thermal Capsulorrhaphy

Tyler TF, Calabrese GJ, Parker RD, Nicholas SJ: Electrothermally-assisted capsulorrhaphy (ETAC): a new surgical method for glenohumeral instability and its rehabilitation considerations, 30(7):390–400

Thoracic Spine Dysfunction

Menck JY, Requejo SM, Kulig K: Thoracic spine dysfunction in upper extremity Complex Regional Pain Syndrome Type I, 30(7):401–409

Three-Dimensional Kinematics

Heiderscheit BC, Hamill J, Caldwell GE: Influence of Q-angle on lower-extremity running kinematics, 30(5):271–278

Tibial Rotation

Heiderscheit BC, Hamill J, Caldwell GE: Influence of Q-angle on lower-extremity running kinematics, 30(5):271–278

Torque Acceleration Energy

Iossifidou AN, Baltzopoulos V: Inertial effects on moment development during isokinetic concentric knee extension testing, 30(6):317–327

Total Ankle Replacement

Saltzman CL, McIff TE, Buckwalter JA, Brown TD: Total ankle replacement revisited, 30(2):56–67

Transmissivity

Klucinec B, Scheidler M, Denegar C, Domholdt E, Burgess S: Transmissivity of coupling agents used to deliver ultrasound through indirect methods, 30(5):263–269

Treatment

Wainner RS, Gill H: Diagnosis and nonoperative management of cervical radiculopathy, 3(12): 728–744

Ulceration

Birke JA, Patout CA Jr, Foto JG: Factors associated with ulceration and amputation in the neuropathic foot, 30(2):91–97

Ultrasound

Klucinec B, Scheidler M, Denegar C, Domholdt E, Burgess S: Transmissivity of coupling agents used to deliver ultrasound through indirect methods, 30(5):263–269

Reed BV, Ashikaga T, Fleming BC, Zimny NJ: Effects of ultrasound and stretch on knee ligament extensibility, 30(6):341–347

Romani WA, Perrin DH, Dussault RG, Ball DW, Kahler DM: Identification of tibial stress fractures using therapeutic continuous ultrasound, 30(8): 444–452

Upper Exremity Complex Regional Pain Syndrome Type I

Menck JY, Requejo SM, Kulig K: Thoracic spine dys-

function in upper extremity Complex Regional Pain Syndrome Type I, 30(7):401–409

Validity

Mawdsley RH, Hoy DK, Erwin PM: Criterion-related validity of the figure-of-eight method of measuring ankle edema, 30(3):149–153

Videography

Youdas JW, Atwood AL, Harris-Love MO, Stiller TL, Egan KS, Therneau TM: Measurements of temporal aspects of gait obtained with a multimemory stopwatch in persons with gait impairments, 30(5):279–286

Weight-Bearing Exercise

Blanpied P, Carroll R, Douglas T, Lyons M, Macalisang R, Pires L: Effectiveness of lateral slide exercise in an anterior cruciate ligament reconstruction rehabilitation home exercise program, 30(10):602–611

Whiplash

Wrisley DM, Sparto PJ, Whitney SL, Furman JM: Cervicogenic dizziness: a review of diagnosis and treatment, 30(12):755–766

Wrestling

Oppliger RA, Clark RR, Nielsen DH: New equations improve NIR prediction of body fat among high school wrestlers, 30(9):536–543